

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006553.D\VWD1A.CH Vial: 1
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006553.D\VWD1A.CH
Acq On : 24-Oct-2014, 17:06 Operator: HNP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
Title :
Last Update : Sat Oct 25 01:28:50 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	488.028	2.4	122	-0.03
2 T	HMX	500.000	450.774	9.8	110	-0.01
3 T	RDX	500.000	472.350	5.5	109	-0.04
4 T	1,3,5-Trinitrobenzene	500.000	513.844	-2.8	115	-0.06
5 T	1,3-Dinitrobenzene	500.000	504.285	-0.9	113	-0.09
6 T	3,5-Dinitroaniline	500.000	510.474	-2.1	114	-0.11
7 T	Nitrobenzene	500.000	514.357	-2.9	115	-0.13
8 T	Tetryl	500.000	499.466	0.1	109	-0.23
9 T	2,4,6-Trinitrotoluene	500.000	481.421	3.7	110	-0.20
10 T	2-Amino-4,6-dinitrotoluene	500.000	480.471	3.9	110	-0.25
11 T	4-Amino-2,6-dinitrotoluene	500.000	562.681	-12.5	122	-0.26
12 T	2,4-Dinitrotoluene	500.000	517.563	-3.5	118	-0.27
13 T	2,6-Dinitrotoluene	500.000	536.204	-7.2	122	-0.29
14 T	2-Nitrotoluene	500.000	479.080	4.2	112	-0.39
15 T	4-Nitrotoluene	500.000	511.533	-2.3	121	-0.43
16 T	3-Nitrotoluene	500.000	492.246	1.6	112	-0.37
17 T	PETN	500.000	550.527	-10.1	129	-0.67#

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006553.D\VWD1A.CH Vial: 1
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006553.D\VWD1A.CH
Acq On : 24-Oct-2014, 17:06 Operator: HNP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
Title :
Last Update : Sat Oct 25 01:28:50 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------