

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006560.D\VWD1A.CH Vial: 1
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006560.D\VWD1A.CH
 Acq On : 24-Oct-2014, 20:22 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
 Title :
 Last Update : Sat Oct 25 01:28:50 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	483.161	3.4	121	-0.02
2 T	HMX	500.000	450.598	9.9	110	-0.01
3 T	RDX	500.000	469.665	6.1	109	-0.03
4 T	1,3,5-Trinitrobenzene	500.000	515.550	-3.1	115	-0.05
5 T	1,3-Dinitrobenzene	500.000	505.610	-1.1	114	-0.09
6 T	3,5-Dinitroaniline	500.000	522.529	-4.5	117	-0.11
7 T	Nitrobenzene	500.000	502.985	-0.6	113	-0.12
8 T	Tetryl	500.000	482.239	3.6	105	-0.22
9 T	2,4,6-Trinitrotoluene	500.000	502.300	-0.5	115	-0.19
10 T	2-Amino-4,6-dinitrotoluene	500.000	535.704	-7.1	122	-0.23
11 T	4-Amino-2,6-dinitrotoluene	500.000	528.082	-5.6	114	-0.25
12 T	2,4-Dinitrotoluene	500.000	510.622	-2.1	117	-0.25
13 T	2,6-Dinitrotoluene	500.000	508.572	-1.7	115	-0.27
14 T	2-Nitrotoluene	500.000	481.525	3.7	113	-0.38
15 T	4-Nitrotoluene	500.000	503.907	-0.8	119	-0.38
16 T	3-Nitrotoluene	500.000	495.421	0.9	113	-0.33
17 T	PETN	500.000	584.145	-16.8	137	-0.62#

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006560.D\VWD1A.CH Vial: 1
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006560.D\VWD1A.CH
Acq On : 24-Oct-2014, 20:22 Operator: HNP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
Title :
Last Update : Sat Oct 25 01:28:50 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------