

Evaluate Continuing Calibration Report

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006627.D\VWD1A.CH Vial: 91
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006627.D\VWD1A.CH
Acq On : 25-Oct-2014, 10:03 Operator: HNP
Sample : HSTDCCC050 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
Title :
Last Update : Sat Oct 25 01:28:50 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	4.776	99.0#	1194	-0.02
2 T	Nitroglycerin	N/A	5.08	99.0#	1109	-13.65#

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006627.D\VWD1A.CH Vial: 91
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006627.D\VWD1A.CH
Acq On : 25-Oct-2014, 10:03 Operator: HNP
Sample : HSTDCCC050 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
Title :
Last Update : Sat Oct 25 01:28:50 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------