

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006658.D\VWD1A.CH Vial: 1
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006658.D\VWD1A.CH
 Acq On : 25-Oct-2014, 15:17 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
 Title :
 Last Update : Sat Oct 25 01:28:50 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.975	3.994 E3	-0.5	126	-0.02
2 T	HMX	4.836	5.109 E3	-5.6	129	0.00
3 T	RDX	5.483	5.388 E3	1.7	114	-0.03
4 T	1,3,5-Trinitrobenzene	10.724	11.295 E3	-5.3	118	-0.04
5 T	1,3-Dinitrobenzene	16.374	17.038 E3	-4.1	117	-0.07
6 T	3,5-Dinitroaniline	11.653	12.537 E3	-7.6	120	-0.09
7 T	Nitrobenzene	10.021	10.317 E3	-3.0	115	-0.11
8 T	Tetryl	6.376	6.821 E3	-7.0	116	-0.20
9 T	2,4,6-Trinitrotoluene	10.737	11.810 E3	-10.0	125	-0.17
10 T	2-Amino-4,6-dinitrotoluene	11.579	12.169 E3	-5.1	120	-0.21
11 T	4-Amino-2,6-dinitrotoluene	6.103	7.002 E3	-14.7	124	-0.23
12 T	2,4-Dinitrotoluene	15.397	16.322 E3	-6.0	121	-0.23
13 T	2,6-Dinitrotoluene	8.476	8.771 E3	-3.5	117	-0.25
14 T	2-Nitrotoluene	6.697	6.439 E3	3.9	112	-0.36
15 T	4-Nitrotoluene	5.474	5.522 E3	-0.9	119	-0.38
16 T	3-Nitrotoluene	6.962	6.562 E3	5.7	107	-0.32
17 T	PETN	8.230	8.633 E3	-4.9	123	-0.60#

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006658.D\VWD1A.CH Vial: 1
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006658.D\VWD1A.CH
Acq On : 25-Oct-2014, 15:17 Operator: HNP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
Title :
Last Update : Sat Oct 25 01:28:50 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------