

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006658.D\VWD1A.CH Vial: 1
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006658.D\VWD1A.CH
 Acq On : 25-Oct-2014, 15:17 Operator: HNP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
 Title :
 Last Update : Sat Oct 25 01:28:50 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	502.488	-0.5	126	-0.02
2 T	HMX	500.000	528.205	-5.6	129	0.00
3 T	RDX	500.000	491.417	1.7	114	-0.03
4 T	1,3,5-Trinitrobenzene	500.000	526.613	-5.3	118	-0.04
5 T	1,3-Dinitrobenzene	500.000	520.261	-4.1	117	-0.07
6 T	3,5-Dinitroaniline	500.000	537.945	-7.6	120	-0.09
7 T	Nitrobenzene	500.000	514.783	-3.0	115	-0.11
8 T	Tetryl	500.000	534.862	-7.0	116	-0.20
9 T	2,4,6-Trinitrotoluene	500.000	549.966	-10.0	125	-0.17
10 T	2-Amino-4,6-dinitrotoluene	500.000	525.477	-5.1	120	-0.21
11 T	4-Amino-2,6-dinitrotoluene	500.000	573.602	-14.7	124	-0.23
12 T	2,4-Dinitrotoluene	500.000	530.023	-6.0	121	-0.23
13 T	2,6-Dinitrotoluene	500.000	517.430	-3.5	117	-0.25
14 T	2-Nitrotoluene	500.000	480.745	3.9	112	-0.36
15 T	4-Nitrotoluene	500.000	504.342	-0.9	119	-0.38
16 T	3-Nitrotoluene	500.000	471.269	5.7	107	-0.32
17 T	PETN	500.000	524.479	-4.9	123	-0.60#

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006658.D\VWD1A.CH Vial: 1
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN102314\HN006658.D\VWD1A.CH
Acq On : 25-Oct-2014, 15:17 Operator: HNP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN100214.M
Title :
Last Update : Sat Oct 25 01:28:50 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------