

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006893.D\VWD1A.CH Vial: 77
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006893.D\VWD1A.CH
 Acq On : 31-Oct-2014, 16:26 Operator: TP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN102914.M
 Title :
 Last Update : Thu Oct 30 18:10:28 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.157	3.803 E3	-20.5	110	-0.02
2 T	HMX	3.953	4.200 E3	-6.2	95	0.00
3 T	RDX	4.733	5.145 E3	-8.7	98	-0.02
4 T	1,3,5-Trinitrobenzene	9.297	10.435 E3	-12.2	100	-0.03
5 T	1,3-Dinitrobenzene	14.716	16.041 E3	-9.0	99	-0.04
6 T	3,5-Dinitroaniline	10.358	11.456 E3	-10.6	99	-0.04
7 T	Nitrobenzene	8.994	9.625 E3	-7.0	97	-0.05
8 T	Tetryl	4.195	4.306 E3	-2.6	88	-0.07
9 T	2,4,6-Trinitrotoluene	8.884	9.923 E3	-11.7	94	-0.08
10 T	2-Amino-4,6-dinitrotoluene	9.874	10.741 E3	-8.8	100	-0.07
11 T	4-Amino-2,6-dinitrotoluene	5.726	6.590 E3	-15.1	100	-0.07
12 T	2,4-Dinitrotoluene	13.635	14.493 E3	-6.3	97	-0.08
13 T	2,6-Dinitrotoluene	7.487	9.017 E3	-20.4	107	-0.09
14 T	2-Nitrotoluene	5.647	5.934 E3	-5.1	94	-0.13
15 T	4-Nitrotoluene	4.670	5.078 E3	-8.7	97	-0.14
16 T	3-Nitrotoluene	6.034	6.529 E3	-8.2	98	-0.13
17 T	PETN	6.605	8.574 E3	-29.8#	107	-0.23

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006893.D\VWD1A.CH Vial: 77
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006893.D\VWD1A.CH
Acq On : 31-Oct-2014, 16:26 Operator: TP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN102914.M
Title :
Last Update : Thu Oct 30 18:10:28 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------