

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006893.D\VWD1A.CH Vial: 77
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006893.D\VWD1A.CH
 Acq On : 31-Oct-2014, 16:26 Operator: TP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN102914.M
 Title :
 Last Update : Thu Oct 30 18:10:28 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	602.318	-20.5	110	-0.02
2 T	HMX	500.000	531.244	-6.2	95	0.00
3 T	RDX	500.000	543.493	-8.7	98	-0.02
4 T	1,3,5-Trinitrobenzene	500.000	561.220	-12.2	100	-0.03
5 T	1,3-Dinitrobenzene	500.000	545.008	-9.0	99	-0.04
6 T	3,5-Dinitroaniline	500.000	553.040	-10.6	99	-0.04
7 T	Nitrobenzene	500.000	535.108	-7.0	97	-0.05
8 T	Tetryl	500.000	513.299	-2.7	88	-0.07
9 T	2,4,6-Trinitrotoluene	500.000	558.506	-11.7	94	-0.08
10 T	2-Amino-4,6-dinitrotoluene	500.000	543.934	-8.8	100	-0.07
11 T	4-Amino-2,6-dinitrotoluene	500.000	575.485	-15.1	100	-0.07
12 T	2,4-Dinitrotoluene	500.000	531.447	-6.3	97	-0.08
13 T	2,6-Dinitrotoluene	500.000	602.191	-20.4	107	-0.09
14 T	2-Nitrotoluene	500.000	525.391	-5.1	94	-0.13
15 T	4-Nitrotoluene	500.000	543.745	-8.7	97	-0.14
16 T	3-Nitrotoluene	500.000	540.972	-8.2	98	-0.13
17 T	PETN	500.000	649.051	-29.8#	107	-0.23

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006893.D\VWD1A.CH Vial: 77
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006893.D\VWD1A.CH
Acq On : 31-Oct-2014, 16:26 Operator: TP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN102914.M
Title :
Last Update : Thu Oct 30 18:10:28 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------