

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006896.D\VWD1A.CH Vial: 71
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006896.D\VWD1A.CH
 Acq On : 31-Oct-2014, 17:50 Operator: TP
 Sample : HSTDICC5000 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
 Title :
 Last Update : Sat Nov 01 07:07:53 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.635	45.021 E3	-1138.5#	1200#	0.00
2 T	HMX	4.360	52.600 E3	-1106.4#	1262#	0.00
3 T	RDX	5.115	56.665 E3	-1007.8#	1082#	0.00
4 T	1,3,5-Trinitrobenzene	10.236	106.002 E3	-935.6#	1007#	0.00
5 T	1,3-Dinitrobenzene	15.802	165.744 E3	-948.9#	1019#	0.00
6 T	3,5-Dinitroaniline	11.214	113.953 E3	-916.2#	979#	0.00
7 T	Nitrobenzene	9.525	99.677 E3	-946.5#	1008#	-0.01
8 T	Tetryl	4.926	42.407 E3	-760.9#	870#	0.03
9 T	2,4,6-Trinitrotoluene	10.140	104.274 E3	-928.3#	966#	-0.02
10 T	2-Amino-4,6-dinitrotoluene	11.192	131.883 E3	-1078.4#	1178#	0.01
11 T	4-Amino-2,6-dinitrotoluene	5.675	42.382 E3	-646.8#	681#	-0.03
12 T	2,4-Dinitrotoluene	14.830	162.311 E3	-994.5#	1065#	-0.02
13 T	2,6-Dinitrotoluene	8.017	75.777 E3	-845.2#	916#	-0.03
14 T	2-Nitrotoluene	6.329	66.279 E3	-947.2#	1043#	0.00
15 T	4-Nitrotoluene	5.087	53.380 E3	-949.3#	1051#	0.00
16 T	3-Nitrotoluene	6.766	68.864 E3	-917.8#	1012#	-0.01
17 T	PETN	8.389	81.267 E3	-868.7#	795#	-0.06

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006896.D\VWD1A.CH Vial: 71
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006896.D\VWD1A.CH
Acq On : 31-Oct-2014, 17:50 Operator: TP
Sample : HSTDICC5000 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
Title :
Last Update : Sat Nov 01 07:07:53 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------