

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006896.D\VWD1A.CH Vial: 71
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006896.D\VWD1A.CH
 Acq On : 31-Oct-2014, 17:50 Operator: TP
 Sample : HSTDICC5000 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
 Title :
 Last Update : Sat Nov 01 07:07:53 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	6601.845	-1220.4#	1200	0.00
2 T	HMX	500.000	6416.373	-1183.3#	1262	0.00
3 T	RDX	500.000	5538.676	-1007.7#	1082	0.00
4 T	1,3,5-Trinitrobenzene	500.000	5177.791	-935.6#	1007	0.00
5 T	1,3-Dinitrobenzene	500.000	5244.353	-948.9#	1019	0.00
6 T	3,5-Dinitroaniline	500.000	5080.799	-916.2#	979	0.00
7 T	Nitrobenzene	500.000	5232.379	-946.5#	1008	-0.01
8 T	Tetryl	500.000	4095.772	-719.2#	870	0.03
9 T	2,4,6-Trinitrotoluene	500.000	4971.692	-894.3#	966	-0.02
10 T	2-Amino-4,6-dinitrotoluene	500.000	5891.687	-1078.3#	1178	0.01
11 T	4-Amino-2,6-dinitrotoluene	500.000	3734.349	-646.9#	681	-0.03
12 T	2,4-Dinitrotoluene	500.000	5472.331	-994.5#	1065	-0.02
13 T	2,6-Dinitrotoluene	500.000	4725.797	-845.2#	916	-0.03
14 T	2-Nitrotoluene	500.000	5236.181	-947.2#	1043	0.00
15 T	4-Nitrotoluene	500.000	5246.930	-949.4#	1051	0.00
16 T	3-Nitrotoluene	500.000	5088.775	-917.8#	1012	-0.01
17 T	PETN	500.000	4843.445	-868.7#	795	-0.06

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006896.D\VWD1A.CH Vial: 71
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006896.D\VWD1A.CH
Acq On : 31-Oct-2014, 17:50 Operator: TP
Sample : HSTDICC5000 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
Title :
Last Update : Sat Nov 01 07:07:53 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------