

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006897.D\VWD1A.CH Vial: 72
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006897.D\VWD1A.CH
 Acq On : 31-Oct-2014, 18:18 Operator: TP
 Sample : HSTDICC2000 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
 Title :
 Last Update : Sat Nov 01 07:07:53 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.635	11.690 E3	-221.6#	312#	0.00
2 T	HMX	4.360	13.187 E3	-202.5#	316#	0.00
3 T	RDX	5.115	16.474 E3	-222.1#	315#	0.00
4 T	1,3,5-Trinitrobenzene	10.236	31.957 E3	-212.2#	304#	-0.01
5 T	1,3-Dinitrobenzene	15.802	51.977 E3	-228.9#	319#	-0.02
6 T	3,5-Dinitroaniline	11.214	36.610 E3	-226.5#	314#	-0.03
7 T	Nitrobenzene	9.525	31.658 E3	-232.4#	320#	-0.02
8 T	Tetryl	4.926	15.295 E3	-210.5#	314#	-0.05
9 T	2,4,6-Trinitrotoluene	10.140	30.928 E3	-205.0#	286#	-0.03
10 T	2-Amino-4,6-dinitrotoluene	11.192	34.260 E3	-206.1#	306#	-0.05
11 T	4-Amino-2,6-dinitrotoluene	5.675	20.101 E3	-254.2#	323#	-0.04
12 T	2,4-Dinitrotoluene	14.830	46.921 E3	-216.4#	308#	-0.04
13 T	2,6-Dinitrotoluene	8.017	26.121 E3	-225.8#	316#	-0.04
14 T	2-Nitrotoluene	6.329	20.736 E3	-227.6#	326#	0.00
15 T	4-Nitrotoluene	5.087	16.771 E3	-229.7#	330#	0.00
16 T	3-Nitrotoluene	6.766	21.626 E3	-219.6#	318#	0.01
17 T	PETN	8.389	22.988 E3	-174.0#	225#	0.01

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006897.D\VWD1A.CH Vial: 72
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006897.D\VWD1A.CH
Acq On : 31-Oct-2014, 18:18 Operator: TP
Sample : HSTDICC2000 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
Title :
Last Update : Sat Nov 01 07:07:53 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------