

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006897.D\VWD1A.CH Vial: 72
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006897.D\VWD1A.CH
 Acq On : 31-Oct-2014, 18:18 Operator: TP
 Sample : HSTDICC2000 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
 Title :
 Last Update : Sat Nov 01 07:07:53 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	1607.911	-221.6#	312	0.00
2 T	HMX	500.000	1524.023	-204.8#	316	0.00
3 T	RDX	500.000	1610.281	-222.1#	315	0.00
4 T	1,3,5-Trinitrobenzene	500.000	1560.966	-212.2#	304	-0.01
5 T	1,3-Dinitrobenzene	500.000	1644.632	-228.9#	319	-0.02
6 T	3,5-Dinitroaniline	500.000	1632.300	-226.5#	314	-0.03
7 T	Nitrobenzene	500.000	1661.808	-232.4#	320	-0.02
8 T	Tetryl	500.000	1558.225	-211.6#	314	-0.05
9 T	2,4,6-Trinitrotoluene	500.000	1525.048	-205.0#	286	-0.03
10 T	2-Amino-4,6-dinitrotoluene	500.000	1530.502	-206.1#	306	-0.05
11 T	4-Amino-2,6-dinitrotoluene	500.000	1771.130	-254.2#	323	-0.04
12 T	2,4-Dinitrotoluene	500.000	1581.945	-216.4#	308	-0.04
13 T	2,6-Dinitrotoluene	500.000	1629.004	-225.8#	316	-0.04
14 T	2-Nitrotoluene	500.000	1638.232	-227.6#	326	0.00
15 T	4-Nitrotoluene	500.000	1648.537	-229.7#	330	0.00
16 T	3-Nitrotoluene	500.000	1598.088	-219.6#	318	0.01
17 T	PETN	500.000	1370.088	-174.0#	225	0.01

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006897.D\VWD1A.CH Vial: 72
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006897.D\VWD1A.CH
Acq On : 31-Oct-2014, 18:18 Operator: TP
Sample : HSTDICC2000 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
Title :
Last Update : Sat Nov 01 07:07:53 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------