

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006898.D\VWD1A.CH Vial: 73
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006898.D\VWD1A.CH
 Acq On : 31-Oct-2014, 18:46 Operator: TP
 Sample : HSTDICC1000 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
 Title :
 Last Update : Sat Nov 01 07:07:53 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.635	7.111 E3	-95.6#	190#	0.00
2 T	HMX	4.360	8.241 E3	-89.0#	198#	0.00
3 T	RDX	5.115	10.280 E3	-101.0#	196#	0.00
4 T	1,3,5-Trinitrobenzene	10.236	20.721 E3	-102.4#	197#	0.00
5 T	1,3-Dinitrobenzene	15.802	32.147 E3	-103.4#	198#	0.00
6 T	3,5-Dinitroaniline	11.214	22.852 E3	-103.8#	196#	-0.02
7 T	Nitrobenzene	9.525	19.235 E3	-101.9#	194#	-0.02
8 T	Tetryl	4.926	10.944 E3	-122.2#	224#	-0.05
9 T	2,4,6-Trinitrotoluene	10.140	20.404 E3	-101.2#	189#	-0.03
10 T	2-Amino-4,6-dinitrotoluene	11.192	21.812 E3	-94.9#	195#	-0.06
11 T	4-Amino-2,6-dinitrotoluene	5.675	12.452 E3	-119.4#	200#	-0.06
12 T	2,4-Dinitrotoluene	14.830	29.706 E3	-100.3#	195#	-0.05
13 T	2,6-Dinitrotoluene	8.017	16.502 E3	-105.8#	199#	-0.05
14 T	2-Nitrotoluene	6.329	12.800 E3	-102.2#	201#	-0.03
15 T	4-Nitrotoluene	5.087	10.269 E3	-101.9#	202#	-0.02
16 T	3-Nitrotoluene	6.766	13.175 E3	-94.7#	194#	-0.02
17 T	PETN	8.389	17.502 E3	-108.6#	171#	0.02

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006898.D\VWD1A.CH Vial: 73
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006898.D\VWD1A.CH
Acq On : 31-Oct-2014, 18:46 Operator: TP
Sample : HSTDICC1000 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
Title :
Last Update : Sat Nov 01 07:07:53 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------