

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006898.D\VWD1A.CH Vial: 73
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006898.D\VWD1A.CH
 Acq On : 31-Oct-2014, 18:46 Operator: TP
 Sample : HSTDICC1000 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
 Title :
 Last Update : Sat Nov 01 07:07:53 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	869.485	-73.9#	190	0.00
2 T	HMX	500.000	847.411	-69.5#	198	0.00
3 T	RDX	500.000	920.802	-84.2#	196	0.00
4 T	1,3,5-Trinitrobenzene	500.000	949.723	-89.9#	197	0.00
5 T	1,3-Dinitrobenzene	500.000	964.118	-92.8#	198	0.00
6 T	3,5-Dinitroaniline	500.000	967.641	-93.5#	196	-0.02
7 T	Nitrobenzene	500.000	943.494	-88.7#	194	-0.02
8 T	Tetryl	500.000	885.890	-77.2#	224	-0.05
9 T	2,4,6-Trinitrotoluene	500.000	905.260	-81.1#	189	-0.03
10 T	2-Amino-4,6-dinitrotoluene	500.000	921.633	-84.3#	195	-0.06
11 T	4-Amino-2,6-dinitrotoluene	500.000	975.613	-95.1#	200	-0.06
12 T	2,4-Dinitrotoluene	500.000	948.622	-89.7#	195	-0.05
13 T	2,6-Dinitrotoluene	500.000	976.011	-95.2#	199	-0.05
14 T	2-Nitrotoluene	500.000	930.954	-86.2#	201	-0.03
15 T	4-Nitrotoluene	500.000	919.736	-83.9#	202	-0.02
16 T	3-Nitrotoluene	500.000	930.067	-86.0#	194	-0.02
17 T	PETN	500.000	1002.331	-100.5#	171	0.02

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006898.D\VWD1A.CH Vial: 73
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006898.D\VWD1A.CH
Acq On : 31-Oct-2014, 18:46 Operator: TP
Sample : HSTDICC1000 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
Title :
Last Update : Sat Nov 01 07:07:53 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------