

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006899.D\VWD1A.CH Vial: 74
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006899.D\VWD1A.CH
 Acq On : 31-Oct-2014, 19:14 Operator: TP
 Sample : HSTDICCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
 Title :
 Last Update : Sat Nov 01 07:07:53 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.635	3.751 E3	-3.2	100	0.00
2 T	HMX	4.360	4.168 E3	4.4	100	0.00
3 T	RDX	5.115	5.238 E3	-2.4	100	0.00
4 T	1,3,5-Trinitrobenzene	10.236	10.524 E3	-2.8	100	0.00
5 T	1,3-Dinitrobenzene	15.802	16.273 E3	-3.0	100	0.00
6 T	3,5-Dinitroaniline	11.214	11.641 E3	-3.8	100	0.00
7 T	Nitrobenzene	9.525	9.893 E3	-3.9	100	0.00
8 T	Tetryl	4.926	4.876 E3	1.0	100	0.00
9 T	2,4,6-Trinitrotoluene	10.140	10.800 E3	-6.5	100	0.00
10 T	2-Amino-4,6-dinitrotoluene	11.192	11.191 E3	0.0	100	0.00
11 T	4-Amino-2,6-dinitrotoluene	5.675	6.227 E3	-9.7	100	0.00
12 T	2,4-Dinitrotoluene	14.830	15.246 E3	-2.8	100	0.00
13 T	2,6-Dinitrotoluene	8.017	8.274 E3	-3.2	100	0.00
14 T	2-Nitrotoluene	6.329	6.356 E3	-0.4	100	0.00
15 T	4-Nitrotoluene	5.087	5.078 E3	0.2	100	0.00
16 T	3-Nitrotoluene	6.766	6.802 E3	-0.5	100	0.00
17 T	PETN	8.389	10.226 E3	-21.9	100	0.00

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006899.D\VWD1A.CH Vial: 74
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006899.D\VWD1A.CH
Acq On : 31-Oct-2014, 19:14 Operator: TP
Sample : HSTDICCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
Title :
Last Update : Sat Nov 01 07:07:53 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------