

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006899.D\VWD1A.CH Vial: 74
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006899.D\VWD1A.CH
 Acq On : 31-Oct-2014, 19:14 Operator: TP
 Sample : HSTDICCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
 Title :
 Last Update : Sat Nov 01 07:07:53 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	458.682	8.3	100	0.00
2 T	HMX	500.000	428.556	14.3	100	0.00
3 T	RDX	500.000	469.196	6.2	100	0.00
4 T	1,3,5-Trinitrobenzene	500.000	482.373	3.5	100	0.00
5 T	1,3-Dinitrobenzene	500.000	488.033	2.4	100	0.00
6 T	3,5-Dinitroaniline	500.000	492.922	1.4	100	0.00
7 T	Nitrobenzene	500.000	485.266	2.9	100	0.00
8 T	Tetryl	500.000	394.680	21.1	100	0.00
9 T	2,4,6-Trinitrotoluene	500.000	479.160	4.2	100	0.00
10 T	2-Amino-4,6-dinitrotoluene	500.000	472.847	5.4	100	0.00
11 T	4-Amino-2,6-dinitrotoluene	500.000	487.914	2.4	100	0.00
12 T	2,4-Dinitrotoluene	500.000	486.870	2.6	100	0.00
13 T	2,6-Dinitrotoluene	500.000	489.384	2.1	100	0.00
14 T	2-Nitrotoluene	500.000	462.249	7.6	100	0.00
15 T	4-Nitrotoluene	500.000	454.831	9.0	100	0.00
16 T	3-Nitrotoluene	500.000	480.161	4.0	100	0.00
17 T	PETN	500.000	585.661	-17.1	100	0.00

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006899.D\VWD1A.CH Vial: 74
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006899.D\VWD1A.CH
Acq On : 31-Oct-2014, 19:14 Operator: TP
Sample : HSTDICCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
Title :
Last Update : Sat Nov 01 07:07:53 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------