

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006900.D\VWD1A.CH Vial: 75
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006900.D\VWD1A.CH
 Acq On : 31-Oct-2014, 19:42 Operator: TP
 Sample : HSTDICC0100 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
 Title :
 Last Update : Sat Nov 01 07:07:53 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.635	0.689 E3	81.0#	18#	0.00
2 T	HMX	4.360	0.991 E3	77.3#	24#	0.00
3 T	RDX	5.115	1.083 E3	78.8#	21#	0.00
4 T	1,3,5-Trinitrobenzene	10.236	2.341 E3	77.1#	22#	0.00
5 T	1,3-Dinitrobenzene	15.802	3.419 E3	78.4#	21#	0.00
6 T	3,5-Dinitroaniline	11.214	2.491 E3	77.8#	21#	0.00
7 T	Nitrobenzene	9.525	2.047 E3	78.5#	21#	0.00
8 T	Tetryl	4.926	1.244 E3	74.7#	26#	-0.01
9 T	2,4,6-Trinitrotoluene	10.140	2.308 E3	77.2#	21#	0.00
10 T	2-Amino-4,6-dinitrotoluene	11.192	2.422 E3	78.4#	22#	-0.01
11 T	4-Amino-2,6-dinitrotoluene	5.675	1.331 E3	76.5#	21#	-0.01
12 T	2,4-Dinitrotoluene	14.830	3.218 E3	78.3#	21#	-0.01
13 T	2,6-Dinitrotoluene	8.017	1.891 E3	76.4#	23#	-0.02
14 T	2-Nitrotoluene	6.329	1.415 E3	77.6#	22#	0.00
15 T	4-Nitrotoluene	5.087	1.138 E3	77.6#	22#	0.02
16 T	3-Nitrotoluene	6.766	1.630 E3	75.9#	24#	0.00
17 T	PETN	8.389	1.819 E3	78.3#	18#	0.02

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006900.D\VWD1A.CH Vial: 75
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006900.D\VWD1A.CH
Acq On : 31-Oct-2014, 19:42 Operator: TP
Sample : HSTDICC0100 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
Title :
Last Update : Sat Nov 01 07:07:53 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------