

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006901.D\VWD1A.CH Vial: 76
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006901.D\VWD1A.CH
 Acq On : 31-Oct-2014, 20:10 Operator: TP
 Sample : HSTDICV0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
 Title :
 Last Update : Sat Nov 01 07:07:53 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	507.111	-1.4	98	0.00
2 T	HMX	500.000	476.857	4.6	100	0.00
3 T	RDX	500.000	502.743	-0.5	98	0.00
4 T	1,3,5-Trinitrobenzene	500.000	505.878	-1.2	98	0.00
5 T	1,3-Dinitrobenzene	500.000	505.929	-1.2	98	0.00
6 T	3,5-Dinitroaniline	500.000	511.621	-2.3	99	0.00
7 T	Nitrobenzene	500.000	509.194	-1.8	98	0.00
8 T	Tetryl	500.000	477.395	4.5	96	-0.02
9 T	2,4,6-Trinitrotoluene	500.000	522.434	-4.5	98	-0.01
10 T	2-Amino-4,6-dinitrotoluene	500.000	475.396	4.9	95	-0.03
11 T	4-Amino-2,6-dinitrotoluene	500.000	579.087	-15.8	106	-0.03
12 T	2,4-Dinitrotoluene	500.000	500.198	-0.0	97	-0.03
13 T	2,6-Dinitrotoluene	500.000	514.472	-2.9	100	-0.03
14 T	2-Nitrotoluene	500.000	487.989	2.4	97	-0.02
15 T	4-Nitrotoluene	500.000	508.414	-1.7	102	0.00
16 T	3-Nitrotoluene	500.000	494.926	1.0	98	0.01
17 T	PETN	500.000	495.908	0.8	81	0.06

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006901.D\VWD1A.CH Vial: 76
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006901.D\VWD1A.CH
Acq On : 31-Oct-2014, 20:10 Operator: TP
Sample : HSTDICV0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
Title :
Last Update : Sat Nov 01 07:07:53 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------