

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006912.D\VWD1A.CH Vial: 74
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006912.D\VWD1A.CH
 Acq On : 01-Nov-2014, 01:18 Operator: TP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
 Title :
 Last Update : Sat Nov 01 07:07:53 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	505.089	-1.0	98	0.00
2 T	HMX	500.000	538.221	-7.6	113	0.00
3 T	RDX	500.000	513.050	-2.6	100	-0.01
4 T	1,3,5-Trinitrobenzene	500.000	518.243	-3.6	101	-0.02
5 T	1,3-Dinitrobenzene	500.000	515.764	-3.2	100	-0.02
6 T	3,5-Dinitroaniline	500.000	522.192	-4.4	101	-0.03
7 T	Nitrobenzene	500.000	515.792	-3.2	99	-0.02
8 T	Tetryl	500.000	499.425	0.1	101	-0.05
9 T	2,4,6-Trinitrotoluene	500.000	521.700	-4.3	98	-0.03
10 T	2-Amino-4,6-dinitrotoluene	500.000	496.805	0.6	99	-0.05
11 T	4-Amino-2,6-dinitrotoluene	500.000	568.360	-13.7	104	-0.04
12 T	2,4-Dinitrotoluene	500.000	510.848	-2.2	99	-0.03
13 T	2,6-Dinitrotoluene	500.000	532.306	-6.5	103	-0.03
14 T	2-Nitrotoluene	500.000	491.348	1.7	98	0.00
15 T	4-Nitrotoluene	500.000	506.504	-1.3	101	0.02
16 T	3-Nitrotoluene	500.000	512.683	-2.5	102	0.04
17 T	PETN	500.000	478.895	4.2	79	0.04

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006912.D\VWD1A.CH Vial: 74
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006912.D\VWD1A.CH
Acq On : 01-Nov-2014, 01:18 Operator: TP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
Title :
Last Update : Sat Nov 01 07:07:53 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------