

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006921.D\VWD1A.CH Vial: 74
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006921.D\VWD1A.CH
 Acq On : 01-Nov-2014, 05:31 Operator: TP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
 Title :
 Last Update : Sat Nov 01 07:07:53 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	488.269	2.3	95	0.00
2 T	HMX	500.000	521.756	-4.4	109	0.00
3 T	RDX	500.000	517.022	-3.4	101	0.00
4 T	1,3,5-Trinitrobenzene	500.000	518.483	-3.7	101	-0.01
5 T	1,3-Dinitrobenzene	500.000	518.240	-3.6	101	-0.01
6 T	3,5-Dinitroaniline	500.000	521.146	-4.2	100	-0.02
7 T	Nitrobenzene	500.000	512.258	-2.5	99	-0.02
8 T	Tetryl	500.000	491.821	1.6	99	-0.04
9 T	2,4,6-Trinitrotoluene	500.000	529.937	-6.0	100	-0.02
10 T	2-Amino-4,6-dinitrotoluene	500.000	493.896	1.2	99	-0.04
11 T	4-Amino-2,6-dinitrotoluene	500.000	568.053	-13.6	104	-0.04
12 T	2,4-Dinitrotoluene	500.000	512.847	-2.6	100	-0.03
13 T	2,6-Dinitrotoluene	500.000	526.381	-5.3	102	-0.04
14 T	2-Nitrotoluene	500.000	500.069	-0.0	100	-0.03
15 T	4-Nitrotoluene	500.000	501.583	-0.3	100	-0.02
16 T	3-Nitrotoluene	500.000	503.164	-0.6	100	-0.03
17 T	PETN	500.000	551.314	-10.3	90	-0.03

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006921.D\VWD1A.CH Vial: 74
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006921.D\VWD1A.CH
Acq On : 01-Nov-2014, 05:31 Operator: TP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
Title :
Last Update : Sat Nov 01 07:07:53 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------