

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006932.D\VWD1A.CH Vial: 74
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006932.D\VWD1A.CH
 Acq On : 01-Nov-2014, 14:20 Operator: TP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
 Title :
 Last Update : Sat Nov 01 07:07:53 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	454.864	9.0	88	0.00
2 T	HMX	500.000	508.403	-1.7	106	0.00
3 T	RDX	500.000	517.636	-3.5	101	0.00
4 T	1,3,5-Trinitrobenzene	500.000	516.769	-3.4	101	0.01
5 T	1,3-Dinitrobenzene	500.000	517.142	-3.4	100	0.02
6 T	3,5-Dinitroaniline	500.000	522.890	-4.6	101	0.02
7 T	Nitrobenzene	500.000	514.552	-2.9	99	0.02
8 T	Tetryl	500.000	432.843	13.4	87	0.02
9 T	2,4,6-Trinitrotoluene	500.000	554.509	-10.9	104	0.03
10 T	2-Amino-4,6-dinitrotoluene	500.000	493.679	1.3	99	0.03
11 T	4-Amino-2,6-dinitrotoluene	500.000	571.303	-14.3	104	0.04
12 T	2,4-Dinitrotoluene	500.000	508.039	-1.6	99	0.04
13 T	2,6-Dinitrotoluene	500.000	523.716	-4.7	101	0.04
14 T	2-Nitrotoluene	500.000	504.130	-0.8	100	0.09
15 T	4-Nitrotoluene	500.000	502.961	-0.6	101	0.11
16 T	3-Nitrotoluene	500.000	500.277	-0.1	100	0.10
17 T	PETN	500.000	618.546	-23.7	101	0.12

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006932.D\VWD1A.CH Vial: 74
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006932.D\VWD1A.CH
Acq On : 01-Nov-2014, 14:20 Operator: TP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
Title :
Last Update : Sat Nov 01 07:07:53 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------