

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006954.D\VWD1A.CH Vial: 74
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006954.D\VWD1A.CH
 Acq On : 02-Nov-2014, 00:37 Operator: TP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
 Title :
 Last Update : Sat Nov 01 07:07:53 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.635	3.279 E3	9.8	87	0.00
2 T	HMX	4.360	4.350 E3	0.2	104	0.00
3 T	RDX	5.115	5.311 E3	-3.8	101	0.00
4 T	1,3,5-Trinitrobenzene	10.236	10.583 E3	-3.4	101	0.01
5 T	1,3-Dinitrobenzene	15.802	16.373 E3	-3.6	101	0.02
6 T	3,5-Dinitroaniline	11.214	11.715 E3	-4.5	101	0.02
7 T	Nitrobenzene	9.525	9.809 E3	-3.0	99	0.03
8 T	Tetryl	4.926	4.494 E3	8.8	92	0.03
9 T	2,4,6-Trinitrotoluene	10.140	10.733 E3	-5.8	99	0.04
10 T	2-Amino-4,6-dinitrotoluene	11.192	11.044 E3	1.3	99	0.04
11 T	4-Amino-2,6-dinitrotoluene	5.675	6.459 E3	-13.8	104	0.07
12 T	2,4-Dinitrotoluene	14.830	15.255 E3	-2.9	100	0.06
13 T	2,6-Dinitrotoluene	8.017	8.457 E3	-5.5	102	0.06
14 T	2-Nitrotoluene	6.329	6.509 E3	-2.8	102	0.13
15 T	4-Nitrotoluene	5.087	5.180 E3	-1.8	102	0.14
16 T	3-Nitrotoluene	6.766	6.829 E3	-0.9	100	0.17
17 T	PETN	8.389	9.478 E3	-13.0	93	0.13

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006954.D\VWD1A.CH Vial: 74
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006954.D\VWD1A.CH
Acq On : 02-Nov-2014, 00:37 Operator: TP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
Title :
Last Update : Sat Nov 01 07:07:53 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------