

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006960.D\VWD1A.CH Vial: 74
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006960.D\VWD1A.CH
 Acq On : 02-Nov-2014, 03:25 Operator: TP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
 Title :
 Last Update : Sat Nov 01 07:07:53 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.635	3.270 E3	10.0	87	0.00
2 T	HMX	4.360	4.478 E3	-2.7	107	0.00
3 T	RDX	5.115	5.272 E3	-3.1	101	0.01
4 T	1,3,5-Trinitrobenzene	10.236	10.610 E3	-3.7	101	0.01
5 T	1,3-Dinitrobenzene	15.802	16.427 E3	-4.0	101	0.02
6 T	3,5-Dinitroaniline	11.214	11.715 E3	-4.5	101	0.02
7 T	Nitrobenzene	9.525	9.829 E3	-3.2	99	0.03
8 T	Tetryl	4.926	5.049 E3	-2.5	104	0.04
9 T	2,4,6-Trinitrotoluene	10.140	11.458 E3	-13.0	106	0.05
10 T	2-Amino-4,6-dinitrotoluene	11.192	11.091 E3	0.9	99	0.07
11 T	4-Amino-2,6-dinitrotoluene	5.675	6.521 E3	-14.9	105	0.08
12 T	2,4-Dinitrotoluene	14.830	15.071 E3	-1.6	99	0.07
13 T	2,6-Dinitrotoluene	8.017	8.065 E3	-0.6	97	0.07
14 T	2-Nitrotoluene	6.329	6.311 E3	0.3	99	0.13
15 T	4-Nitrotoluene	5.087	5.342 E3	-5.0	105	0.16
16 T	3-Nitrotoluene	6.766	6.749 E3	0.3	99	0.16
17 T	PETN	8.389	7.929 E3	5.5	78	0.19

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006960.D\VWD1A.CH Vial: 74
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006960.D\VWD1A.CH
Acq On : 02-Nov-2014, 03:25 Operator: TP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
Title :
Last Update : Sat Nov 01 07:07:53 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------