

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006960.D\VWD1A.CH Vial: 74
 Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006960.D\VWD1A.CH
 Acq On : 02-Nov-2014, 03:25 Operator: TP
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
 Title :
 Last Update : Sat Nov 01 07:07:53 2014
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	449.767	10.0	87	0.00
2 T	HMX	500.000	513.518	-2.7	107	0.00
3 T	RDX	500.000	515.309	-3.1	101	0.01
4 T	1,3,5-Trinitrobenzene	500.000	518.237	-3.6	101	0.01
5 T	1,3-Dinitrobenzene	500.000	519.769	-4.0	101	0.02
6 T	3,5-Dinitroaniline	500.000	522.351	-4.5	101	0.02
7 T	Nitrobenzene	500.000	515.975	-3.2	99	0.03
8 T	Tetryl	500.000	512.454	-2.5	104	0.04
9 T	2,4,6-Trinitrotoluene	500.000	564.967	-13.0	106	0.05
10 T	2-Amino-4,6-dinitrotoluene	500.000	495.491	0.9	99	0.07
11 T	4-Amino-2,6-dinitrotoluene	500.000	574.550	-14.9	105	0.08
12 T	2,4-Dinitrotoluene	500.000	508.114	-1.6	99	0.07
13 T	2,6-Dinitrotoluene	500.000	502.957	-0.6	97	0.07
14 T	2-Nitrotoluene	500.000	498.617	0.3	99	0.13
15 T	4-Nitrotoluene	500.000	525.039	-5.0	105	0.16
16 T	3-Nitrotoluene	500.000	498.742	0.3	99	0.16
17 T	PETN	500.000	472.590	5.5	78	0.19

Signal #1 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006960.D\VWD1A.CH Vial: 74
Signal #2 : Z:\HPCHEM1\HPLC_N\DATA\HN103114\HN006960.D\VWD1A.CH
Acq On : 02-Nov-2014, 03:25 Operator: TP
Sample : HSTDCCC0500 Inst : G1314A
Misc : Multiplr: 1.00
IntFile Signal #1: autoint1.e IntFile Signal #2: autoint2.e

Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
Title :
Last Update : Sat Nov 01 07:07:53 2014
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------