

Data Path : Z:\HPCHEM1\HPLC_N\Data\HN110414\
Data File : HN006987.D
Signal(s) : VWD1A.CH
Acq On : 04-Nov-2014, 13:56
Operator : TP
Sample : HSTDCCC0500
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
HPLC_N
LabSampleId :
HSTDCCC0500

Integration File: autoint1.e
Quant Time: Nov 05 04:05:12 2014
Quant Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
Quant Title :
QLast Update : Wed Nov 05 03:01:15 2014
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	500.000	522.828	-4.6	102	0.00
2 T	HMX	500.000	458.776	8.2	91	0.00
3 T	RDX	500.000	496.276	0.7	97	-0.01
4 T	1,3,5-Trinitrobenzene	500.000	501.074	-0.2	99	0.00
5 T	1,3-Dinitrobenzene	500.000	504.172	-0.8	98	0.00
6 T	3,5-Dinitroaniline	500.000	500.424	-0.1	97	0.00
7 T	Nitrobenzene	500.000	498.866	0.2	95	0.00
8 T	Tetryl	500.000	516.520	-3.3	117	0.08
9 T	2,4,6-Trinitrotoluene	500.000	585.887	-17.2	109	0.01
10 T	2-Amino-4,6-dinitrotoluene	500.000	503.693	-0.7	102	0.02
11 T	4-Amino-2,6-dinitrotoluene	500.000	536.905	-7.4	98	0.02
12 T	2,4-Dinitrotoluene	500.000	498.474	0.3	97	0.02
13 T	2,6-Dinitrotoluene	500.000	550.035	-10.0	106	0.03
14 T	2-Nitrotoluene	500.000	500.121	-0.0	94	0.04
15 T	4-Nitrotoluene	500.000	493.817	1.2	92	0.05
16 T	3-Nitrotoluene	500.000	480.190	4.0	92	0.04
17 T	PETN	500.000	639.197	-27.8#	105	-0.04

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0