

Data Path : Z:\HPCHEM1\HPLC_N\Data\HN110414\
Data File : HN006989.D
Signal(s) : VWD1A.CH
Acq On : 04-Nov-2014, 16:40
Operator : TP
Sample : HSTDCCC0500
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
HPLC_N
LabSampleId :
HSTDCCC0500

Integration File: autoint1.e
Quant Time: Nov 05 04:08:36 2014
Quant Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
Quant Title :
QLast Update : Wed Nov 05 03:01:15 2014
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	500.000	523.944	-4.8	102	0.00
2 T	HMX	500.000	462.000	7.6	91	0.00
3 T	RDX	500.000	497.364	0.5	97	-0.01
4 T	1,3,5-Trinitrobenzene	500.000	502.442	-0.5	99	0.00
5 T	1,3-Dinitrobenzene	500.000	508.464	-1.7	99	0.00
6 T	3,5-Dinitroaniline	500.000	502.731	-0.5	98	-0.02
7 T	Nitrobenzene	500.000	487.719	2.5	93	-0.01
8 T	Tetryl	500.000	454.943	9.0	103	0.06
9 T	2,4,6-Trinitrotoluene	500.000	560.756	-12.2	104	0.00
10 T	2-Amino-4,6-dinitrotoluene	500.000	441.898	11.6	89	-0.02
11 T	4-Amino-2,6-dinitrotoluene	500.000	595.417	-19.1	109	-0.01
12 T	2,4-Dinitrotoluene	500.000	516.111	-3.2	100	0.00
13 T	2,6-Dinitrotoluene	500.000	541.687	-8.3	105	0.00
14 T	2-Nitrotoluene	500.000	503.815	-0.8	94	0.00
15 T	4-Nitrotoluene	500.000	496.466	0.7	92	0.00
16 T	3-Nitrotoluene	500.000	484.022	3.2	93	-0.02
17 T	PETN	500.000	630.327	-26.1#	103	-0.02

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0