

Data Path : Z:\HPCHEM1\HPLC_N\Data\HN110514\
Data File : HN007046.D
Signal(s) : VWD1A.CH
Acq On : 06-Nov-2014, 02:02
Operator : TP
Sample : HSTDCCC005
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
HPLC_N
LabSampleId :
HSTDCCC005

Integration File: AUTOINT1.E
Quant Time: Mar 07 04:49:57 2015
Quant Method : Z:\HPCHEM1\HPLC_N\METHODS\HN1029NG.M
Quant Title :
QLast Update : Sat Mar 07 04:29:22 2015
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	5.000	4.914	1.7	94	0.00
2 T	Nitroglycerin	5.000	4.901	2.0	91	0.00

Evaluate Continuing Calibration Report - Not Founds

(#) = Out of Range

SPCC's out = 0 CCC's out = 0