

Data Path : Z:\HPCHEM1\HPLC_N\Data\HN110614\
Data File : HN007062.D
Signal(s) : VWD1A.CH
Acq On : 06-Nov-2014, 19:53
Operator : TP
Sample : HSTDCCC0500
Misc :
ALS Vial : 81 Sample Multiplier: 1

Instrument :
HPLC_N
LabSampleId :
HSTDCCC0500

Integration File: autoint1.e
Quant Time: Mar 07 02:59:35 2015
Quant Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
Quant Title :
QLast Update : Sat Mar 07 02:52:52 2015
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	500.000	435.923	12.8	82	-0.02
2 T	HMX	500.000	457.541	8.5	88	-0.01
3 T	RDX	500.000	516.880	-3.4	100	-0.03
4 T	1,3,5-Trinitrobenzene	500.000	512.357	-2.5	100	-0.04
5 T	1,3-Dinitrobenzene	500.000	500.537	-0.1	98	-0.06
6 T	3,5-Dinitroaniline	500.000	502.082	-0.4	98	-0.07
7 T	Nitrobenzene	500.000	594.730	-18.9	115	-0.08
8 T	Tetryl	500.000	404.091	19.2	85	-0.14
9 T	2,4,6-Trinitrotoluene	500.000	564.652	-12.9	105	-0.11
10 T	2-Amino-4,6-dinitrotoluene	500.000	505.628	-1.1	101	-0.12
11 T	4-Amino-2,6-dinitrotoluene	500.000	564.332	-12.9	104	-0.13
12 T	2,4-Dinitrotoluene	500.000	513.473	-2.7	100	-0.12
13 T	2,6-Dinitrotoluene	500.000	532.977	-6.6	103	-0.13
14 T	2-Nitrotoluene	500.000	525.819	-5.2	99	-0.14
15 T	4-Nitrotoluene	500.000	514.270	-2.9	100	-0.12
16 T	3-Nitrotoluene	500.000	494.614	1.1	98	-0.15
17 T	PETN	500.000	533.167	-6.6	88	-0.31

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0