

Data Path : Z:\HPCHEM1\HPLC_N\Data\HN110614\
Data File : HN007065.D
Signal(s) : VWD1A.CH
Acq On : 06-Nov-2014, 21:17
Operator : TP
Sample : HSTDCCC0500
Misc :
ALS Vial : 81 Sample Multiplier: 1

Instrument :
HPLC_N
LabSampleId :
HSTDCCC0500

Integration File: autoint1.e
Quant Time: Mar 07 03:36:36 2015
Quant Method : Z:\HPCHEM1\HPLC_N\METHODS\HN103114.M
Quant Title :
QLast Update : Sat Mar 07 03:03:02 2015
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	500.000	432.471	13.5	81	-0.02
2 T	HMX	500.000	451.254	9.7	86	-0.01
3 T	RDX	500.000	518.702	-3.7	100	-0.03
4 T	1,3,5-Trinitrobenzene	500.000	514.255	-2.9	101	-0.04
5 T	1,3-Dinitrobenzene	500.000	510.722	-2.1	100	-0.06
6 T	3,5-Dinitroaniline	500.000	517.564	-3.5	101	-0.06
7 T	Nitrobenzene	500.000	509.208	-1.8	99	-0.07
8 T	Tetryl	500.000	502.009	-0.4	106	-0.04
9 T	2,4,6-Trinitrotoluene	500.000	496.441	0.7	92	-0.10
10 T	2-Amino-4,6-dinitrotoluene	500.000	509.209	-1.8	101	-0.10
11 T	4-Amino-2,6-dinitrotoluene	500.000	550.389	-10.1	101	-0.11
12 T	2,4-Dinitrotoluene	500.000	511.169	-2.2	100	-0.11
13 T	2,6-Dinitrotoluene	500.000	521.372	-4.3	101	-0.12
14 T	2-Nitrotoluene	500.000	527.036	-5.4	100	-0.16
15 T	4-Nitrotoluene	500.000	514.050	-2.8	100	-0.16
16 T	3-Nitrotoluene	500.000	501.669	-0.3	99	-0.20
17 T	PETN	500.000	598.693	-19.7	99	-0.38

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0