

Evaluate Continuing Calibration Report

Data File : Z:\HPCHEM1\HPLC_N\DATA\HN110813\HN005672.D Vial: 7
 Acq On : 08-Nov-2013, 17:33 Operator: QM
 Sample : HSTDICV005 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : AUTOINT1.E

Instrument :
 HPLC_N
 ClientSampleId :
 ICVHN110813NG

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN1108NG.M
 Title :
 Last Update : Mon Nov 11 15:19:38 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.860	3.880 E6	-0.5	101	0.00
2 T	Nitroglycerin	8.488	8.512 E6	-0.3	101	-0.01

Evaluate Continuing Calibration Report - Not Found

Data File : Z:\HPCHEM1\HPLC_N\DATA\HN110813\HN005672.D Vial: 7
 Acq On : 08-Nov-2013, 17:33 Operator: QM
 Sample : HSTDICV005 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : AUTOINT1.E

Instrument :
 HPLC_N
 ClientSampleId :
 ICVHN110813NG

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN1108NG.M
 Title :
 Last Update : Mon Nov 11 15:19:38 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------