

Evaluate Continuing Calibration Report

Data File : Z:\HPCHEM1\HPLC_N\DATA\HN110813\HN005687.D Vial: 4
 Acq On : 09-Nov-2013, 00:25 Operator: QM
 Sample : HSTDCCC500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC500

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN110813.M
 Title :
 Last Update : Mon Jul 22 14:51:19 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.691	3.821 E3	-3.5	102	0.00
2 T	HMX	4.015	4.028 E3	-0.3	101	0.00
3 T	RDX	5.470	5.336 E3	2.4	99	0.00
4 T	1,3,5-Trinitrobenzene	10.397	10.427 E3	-0.3	100	0.01
5 T	3,5-Dinitroaniline	16.128	16.142 E3	-0.1	101	0.02
6 T	1,3-Dinitrobenzene	12.692	12.663 E3	0.2	101	0.02
7 T	Nitrobenzene	10.192	9.953 E3	2.3	100	0.02
8 T	Tetryl	6.865	7.332 E3	-6.8	101	0.04
9 T	2,4,6-Trinitrotoluene	11.359	11.003 E3	3.1	101	0.04
10 T	2-Amino-4,6-dinitrotoluene	10.912	10.569 E3	3.1	100	0.05
11 T	4-Amino-2,6-dinitrotoluene	5.864	6.702 E3	-14.3	102	0.05
12 T	2,4-Dinitrotoluene	14.768	14.966 E3	-1.3	105	0.04
13 T	2,6-Dinitrotoluene	7.883	8.206 E3	-4.1	104	0.05
14 T	2-Nitrotoluene	6.398	6.533 E3	-2.1	100	0.05
15 T	4-Nitrotoluene	5.392	5.236 E3	2.9	99	0.04
16 T	3-Nitrotoluene	6.858	6.497 E3	5.3	99	0.05
17 T	PETN	8.659	9.255 E3	-6.9	105	0.10

Evaluate Continuing Calibration Report - Not Found

Data File : Z:\HPCHEM1\HPLC_N\DATA\HN110813\HN005687.D Vial: 4
 Acq On : 09-Nov-2013, 00:25 Operator: QM
 Sample : HSTDCCC500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC500

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN110813.M
 Title :
 Last Update : Mon Jul 22 14:51:19 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------