

Evaluate Continuing Calibration Report

Data File : Z:\HPCHEM1\HPLC_N\DATA\HN110813\HN005687.D Vial: 4
 Acq On : 09-Nov-2013, 00:25 Operator: QM
 Sample : HSTDCCC500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC500

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN110813.M
 Title :
 Last Update : Mon Jul 22 14:51:19 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	517.620	-3.5	102	0.00
2 T	HMX	500.000	501.587	-0.3	101	0.00
3 T	RDX	500.000	487.714	2.5	99	0.00
4 T	1,3,5-Trinitrobenzene	500.000	501.415	-0.3	100	0.01
5 T	3,5-Dinitroaniline	500.000	500.440	-0.1	101	0.02
6 T	1,3-Dinitrobenzene	500.000	498.854	0.2	101	0.02
7 T	Nitrobenzene	500.000	488.262	2.3	100	0.02
8 T	Tetryl	500.000	533.971	-6.8	101	0.04
9 T	2,4,6-Trinitrotoluene	500.000	484.365	3.1	101	0.04
10 T	2-Amino-4,6-dinitrotoluene	500.000	484.273	3.1	100	0.05
11 T	4-Amino-2,6-dinitrotoluene	500.000	571.397	-14.3	102	0.05
12 T	2,4-Dinitrotoluene	500.000	506.697	-1.3	105	0.04
13 T	2,6-Dinitrotoluene	500.000	520.471	-4.1	104	0.05
14 T	2-Nitrotoluene	500.000	510.559	-2.1	100	0.05
15 T	4-Nitrotoluene	500.000	485.549	2.9	99	0.04
16 T	3-Nitrotoluene	500.000	473.676	5.3	99	0.05
17 T	PETN	500.000	534.374	-6.9	105	0.10

Evaluate Continuing Calibration Report - Not Found

Data File : Z:\HPCHEM1\HPLC_N\DATA\HN110813\HN005687.D Vial: 4
 Acq On : 09-Nov-2013, 00:25 Operator: QM
 Sample : HSTDCCC500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC500

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN110813.M
 Title :
 Last Update : Mon Jul 22 14:51:19 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------