

Data File : H:\VOL1\HPLC\HPLC N\121109\HN000573.D
Acq On : 09-Nov-2012, 18:51
Sample : 8330-CCV
Misc :
IntFile : events.e

Vial: 2
Operator: HLM
Inst : G1314A
Multiplr: 1.00

Instrument :
HPLC_N
LabSampleId :
8330-CCV

Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN101012.M (Chemstation Integrator)
Title : SW8330 / 8330A confirmation
Last Update : Thu Oct 11 16:07:34 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	10.346	9.862 E3	4.7	0#	0.00
2 T	HMX	10.327	10.094 E3	2.3	0#	0.00
3 T	RDX	13.934	13.640 E3	2.1	0#	0.00
4 T	1,3,5-Trinitrobenzene	27.867	27.743 E3	0.4	0#	0.00
5 T	Tetryl	21.612	21.158 E3	2.1	0#	0.00
6 T	2,4,6-Trinitrotoluene	26.852	25.971 E3	3.3	0#	0.00
7 T	2-Amino-4,6-dinitrotoluene	46.686	46.220 E3	1.0	0#	0.00
8 T	4-Amino-2,6-dinitrotoluene	46.686	46.220 E3	1.0	0#	0.00
9 T	2,4-Dinitrotoluene	37.878	37.763 E3	0.3	0#	0.00
10 T	2,6-Dinitrotoluene	19.614	19.296 E3	1.6	0#	0.00
11 T	1,3-Dinitrobenzene	40.458	40.036 E3	1.0	0#	0.00
12 T	Nitrobenzene	26.121	26.221 E3	-0.4	0#	0.00
13 T	2-Nitrotoluene	15.983	16.724 E3	-4.6	0#	0.00
14 T	3-Nitrotoluene	20.525	17.964 E3	12.5	0#	0.00
15 T	4-Nitrotoluene	13.647	14.011 E3	-2.7	0#	0.00
16 T	3,5-Dinitroaniline	33.440	32.500 E3	2.8	0#	0.00

Data File : H:\VOL1\HPLC\HPLC_N\121109\HN000573.D
Acq On : 09-Nov-2012, 18:51
Sample : 8330-CCV
Misc :
IntFile : events.e

Vial: 2
Operator: HLM
Inst : G1314A
Multiplr: 1.00

Instrument :
HPLC_N
LabSampleId :
8330-CCV

Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN101012.M (Chemstation Integrator)
Title : SW8330 / 8330A confirmation
Last Update : Thu Oct 11 16:07:34 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
17 T	Nitroglycerin	129.765	0.000	100.0#	0#	-24.07#
18 T	PETN	0.000	0.000	0.0	0#	-0.09

Data File : H:\VOL1\HPLC\HPLC N\121109\HN000573.D
Acq On : 09-Nov-2012, 18:51
Sample : 8330-CCV
Misc :
IntFile : events.e

Vial: 2
Operator: HLM
Inst : G1314A
Multiplr: 1.00

Instrument :
HPLC_N
LabSampleId :
8330-CCV

Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN101012.M (Chemstation Integrator)
Title : SW8330 / 8330A confirmation
Last Update : Thu Oct 11 16:07:34 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	1000.000	953.239	4.7	0	0.00
2 T	HMX	1000.000	977.462	2.3	0	0.00
3 T	RDX	1000.000	978.960	2.1	0	0.00
4 T	1,3,5-Trinitrobenzene	500.000	497.765	0.4	0	0.00
5 T	Tetryl	1000.000	978.992	2.1	0	0.00
6 T	2,4,6-Trinitrotoluene	500.000	483.593	3.3	0	0.00
7 T	2-Amino-4,6-dinitrotoluene	500.000	495.013	1.0	0	0.00
8 T	4-Amino-2,6-dinitrotoluene	500.000	495.013	1.0	0	0.00
9 T	2,4-Dinitrotoluene	500.000	498.476	0.3	0	0.00
10 T	2,6-Dinitrotoluene	500.000	491.896	1.6	0	0.00
11 T	1,3-Dinitrobenzene	500.000	494.789	1.0	0	0.00
12 T	Nitrobenzene	500.000	501.911	-0.4	0	0.00
13 T	2-Nitrotoluene	1000.000	1046.341	-4.6	0	0.00
14 T	3-Nitrotoluene	1000.000	975.815	2.4	0	0.00
15 T	4-Nitrotoluene	1000.000	1026.612	-2.7	0	0.00
16 T	3,5-Dinitroaniline	1000.000	971.906	2.8	0	0.00

Data File : H:\VOL1\HPLC\HPLC_N\121109\HN000573.D
Acq On : 09-Nov-2012, 18:51
Sample : 8330-CCV
Misc :
IntFile : events.e

Vial: 2
Operator: HLM
Inst : G1314A
Multiplr: 1.00

Instrument :
HPLC_N
LabSampleId :
8330-CCV

Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN101012.M (Chemstation Integrator)
Title : SW8330 / 8330A confirmation
Last Update : Thu Oct 11 16:07:34 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
17 T	Nitroglycerin	10000.000	0.000	100.0#	0	-24.07#
18 T	PETN	500.000	0.000	100.0#	0	-0.09