

Data File : H:\VOL1\HPLC\HPLC\_N\121109\HN000574.D  
Acq On : 09-Nov-2012, 19:44  
Sample : 8330NG-CCV  
Misc :  
IntFile : events.e

Vial: 3  
Operator: HLM  
Inst : G1314A  
Multiplr: 1.00

Instrument :  
HPLC\_N  
LabSampleId :  
8330NG-CCV

Method : H:\VOL1\HPLC\HPLC\_N\METHODS\HN101012.M (Chemstation Integrator)  
Title : SW8330 / 8330A confirmation  
Last Update : Thu Oct 11 16:07:34 2012  
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
Max. RRF Dev : 20% Max. Rel. Area : 150%

|      | Compound      | AvqRF   | CCRF    | %Dev | Area% | Dev(min) |
|------|---------------|---------|---------|------|-------|----------|
| 17 T | Nitroglycerin | 129.765 | 142.018 | -9.4 | 0#    | 0.00     |

Data File : H:\VOL1\HPLC\HPLC N\121109\HN000574.D  
 Acq On : 09-Nov-2012, 19:44  
 Sample : 8330NG-CCV  
 Misc :  
 IntFile : events.e

Vial: 3  
 Operator: HLM  
 Inst : G1314A  
 Multiplr: 1.00

Instrument :  
 HPLC\_N  
 LabSampleId :  
 8330NG-CCV

Method : H:\VOL1\HPLC\HPLC\_N\METHODS\HN101012.M (Chemstation Integrator)  
 Title : SW8330 / 8330A confirmation  
 Last Update : Thu Oct 11 16:07:34 2012  
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 20% Max. Rel. Area : 150%

|      | Compound                   | AvqRF  | CCRF     | %Dev   | Area% | Dev(min) |
|------|----------------------------|--------|----------|--------|-------|----------|
| 1 S  | 4-Nitroaniline             | 10.346 | 0.000 E3 | 100.0# | 0#    | -7.83#   |
| 2 T  | HMX                        | 10.327 | 0.000 E3 | 100.0# | 0#    | -13.50#  |
| 3 T  | RDX                        | 13.934 | 0.000 E3 | 100.0# | 0#    | -11.11#  |
| 4 T  | 1,3,5-Trinitrobenzene      | 27.867 | 0.000 E3 | 100.0# | 0#    | -25.89#  |
| 5 T  | Tetryl                     | 21.612 | 0.000 E3 | 100.0# | 0#    | -37.40#  |
| 6 T  | 2,4,6-Trinitrotoluene      | 26.852 | 0.000 E3 | 100.0# | 0#    | -35.20#  |
| 7 T  | 2-Amino-4,6-dinitrotoluene | 46.686 | 0.000 E3 | 100.0# | 0#    | -16.97#  |
| 8 T  | 4-Amino-2,6-dinitrotoluene | 46.686 | 0.000 E3 | 100.0# | 0#    | -16.97#  |
| 9 T  | 2,4-Dinitrotoluene         | 37.878 | 0.000 E3 | 100.0# | 0#    | -22.82#  |
| 10 T | 2,6-Dinitrotoluene         | 19.614 | 0.000 E3 | 100.0# | 0#    | -21.32#  |
| 11 T | 1,3-Dinitrobenzene         | 40.458 | 0.000 E3 | 100.0# | 0#    | -16.35#  |
| 12 T | Nitrobenzene               | 26.121 | 0.000 E3 | 100.0# | 0#    | -12.64#  |
| 13 T | 2-Nitrotoluene             | 15.983 | 0.000 E3 | 100.0# | 0#    | -17.46#  |
| 14 T | 3-Nitrotoluene             | 20.525 | 0.000 E3 | 100.0# | 0#    | -18.77#  |
| 15 T | 4-Nitrotoluene             | 13.647 | 0.000 E3 | 100.0# | 0#    | -18.02#  |
| 16 T | 3,5-Dinitroaniline         | 33.440 | 0.000 E3 | 100.0# | 0#    | -14.21#  |
| 18 T | PETN                       | 0.000  | 0.000    | 0.0    | 0#    | -0.09    |