

Data File : H:\VOL1\HPLC\HPLC_N\121109\HN000579.D
Acq On : 10-Nov-2012, 00:07
Sample : 8330NG-CCV
Misc :
IntFile : events.e

Vial: 3
Operator: HLM
Inst : G1314A
Multiplr: 1.00

Instrument :
HPLC_N
LabSampleId :
8330NG-CCV

Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN101012.M (Chemstation Integrator)
Title : SW8330 / 8330A confirmation
Last Update : Thu Oct 11 16:07:34 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
17 T	Nitroglycerin	129.765	135.920	-4.7	0#	0.08

Data File : H:\VOL1\HPLC\HPLC N\121109\HN000579.D
 Acq On : 10-Nov-2012, 00:07
 Sample : 8330NG-CCV
 Misc :
 IntFile : events.e

Vial: 3
 Operator: HLM
 Inst : G1314A
 Multiplr: 1.00

Instrument :
 HPLC_N
 LabSampleId :
 8330NG-CCV

Method : H:\VOL1\HPLC\HPLC_N\METHODS\HN101012.M (Chemstation Integrator)
 Title : SW8330 / 8330A confirmation
 Last Update : Thu Oct 11 16:07:34 2012
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	10.346	0.000 E3	100.0#	0#	-7.83#
2 T	HMX	10.327	0.000 E3	100.0#	0#	-13.50#
3 T	RDX	13.934	0.000 E3	100.0#	0#	-11.11#
4 T	1,3,5-Trinitrobenzene	27.867	0.000 E3	100.0#	0#	-25.89#
5 T	Tetryl	21.612	0.000 E3	100.0#	0#	-37.40#
6 T	2,4,6-Trinitrotoluene	26.852	0.000 E3	100.0#	0#	-35.20#
7 T	2-Amino-4,6-dinitrotoluene	46.686	0.000 E3	100.0#	0#	-16.97#
8 T	4-Amino-2,6-dinitrotoluene	46.686	0.000 E3	100.0#	0#	-16.97#
9 T	2,4-Dinitrotoluene	37.878	0.000 E3	100.0#	0#	-22.82#
10 T	2,6-Dinitrotoluene	19.614	0.000 E3	100.0#	0#	-21.32#
11 T	1,3-Dinitrobenzene	40.458	0.000 E3	100.0#	0#	-16.35#
12 T	Nitrobenzene	26.121	0.000 E3	100.0#	0#	-12.64#
13 T	2-Nitrotoluene	15.983	0.000 E3	100.0#	0#	-17.46#
14 T	3-Nitrotoluene	20.525	0.000 E3	100.0#	0#	-18.77#
15 T	4-Nitrotoluene	13.647	0.000 E3	100.0#	0#	-18.02#
16 T	3,5-Dinitroaniline	33.440	0.000 E3	100.0#	0#	-14.21#
18 T	PETN	0.000	0.000	0.0	0#	-0.09