

Data Path : Z:\HPCHEM1\HPLC_N\Data\HN111014\
Data File : HN007093.D
Signal(s) : VWD1A.CH
Acq On : 10-Nov-2014, 20:35
Operator : TP
Sample : HSTDCCC005
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
HPLC_N
LabSampleId :
HSTDCCC005

Integration File: AUTOINT1.E
Quant Time: Mar 07 04:57:47 2015
Quant Method : Z:\HPCHEM1\HPLC_N\METHODS\HN1029NG.M
Quant Title :
QLast Update : Sat Mar 07 04:29:22 2015
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 ul
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	5.000	5.001	-0.0	95	0.01
2 T	Nitroglycerin	5.000	4.991	0.2	93	0.03

Evaluate Continuing Calibration Report - Not Founds

(#) = Out of Range

SPCC's out = 0 CCC's out = 0