

Evaluate Continuing Calibration Report

Data File : Z:\HPCHEM1\HPLC_N\DATA\HN111113\HN005694.D Vial: 7
 Acq On : 11-Nov-2013, 17:31 Operator: QM
 Sample : HSTDICV0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_N
 ClientSampleId :
 ICVHN111113

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN111113.M
 Title :
 Last Update : Mon Nov 11 16:27:41 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.921	3.888 E3	0.8	104	0.00
2 T	HMX	4.036	4.192 E3	-3.9	105	0.00
3 T	RDX	5.574	5.274 E3	5.4	102	0.01
4 T	1,3,5-Trinitrobenzene	10.401	10.471 E3	-0.7	102	0.01
5 T	3,5-Dinitroaniline	16.901	16.433 E3	2.8	103	0.02
6 T	1,3-Dinitrobenzene	13.811	13.098 E3	5.2	103	0.02
7 T	Nitrobenzene	10.368	10.275 E3	0.9	103	0.02
8 T	Tetryl	7.009	6.871 E3	2.0	98	0.04
9 T	2,4,6-Trinitrotoluene	11.488	11.022 E3	4.1	102	0.04
10 T	2-Amino-4,6-dinitrotoluene	10.757	10.298 E3	4.3	101	0.05
11 T	4-Amino-2,6-dinitrotoluene	6.315	6.538 E3	-3.5	101	0.05
12 T	2,4-Dinitrotoluene	14.734	14.881 E3	-1.0	103	0.05
13 T	2,6-Dinitrotoluene	8.211	8.194 E3	0.2	103	0.05
14 T	2-Nitrotoluene	6.409	6.596 E3	-2.9	104	0.06
15 T	4-Nitrotoluene	5.189	5.108 E3	1.6	99	0.07
16 T	3-Nitrotoluene	19.675	20.041 E3	-1.9	101	0.08
17 T	PETN	9.274	8.844 E3	4.6	94	0.12

Evaluate Continuing Calibration Report - Not Found

Data File : Z:\HPCHEM1\HPLC_N\DATA\HN111113\HN005694.D Vial: 7
 Acq On : 11-Nov-2013, 17:31 Operator: QM
 Sample : HSTDICV0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_N
 ClientSampleId :
 ICVHN111113

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN111113.M
 Title :
 Last Update : Mon Nov 11 16:27:41 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
----------	-------	------	------	-------	----------