

Evaluate Continuing Calibration Report

Data File : Z:\HPCHEM1\HPLC_N\DATA\HN111113\HN005695.D Vial: 4
 Acq On : 11-Nov-2013, 18:13 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN111113.M
 Title :
 Last Update : Mon Nov 11 16:27:41 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	458.454	8.3	96	0.00
2 T	HMX	500.000	480.581	3.9	97	0.00
3 T	RDX	500.000	457.987	8.4	99	0.00
4 T	1,3,5-Trinitrobenzene	500.000	488.538	2.3	99	0.01
5 T	3,5-Dinitroaniline	500.000	475.134	5.0	100	0.02
6 T	1,3-Dinitrobenzene	500.000	461.711	7.7	100	0.02
7 T	Nitrobenzene	500.000	484.819	3.0	101	0.02
8 T	Tetryl	500.000	486.260	2.7	97	0.05
9 T	2,4,6-Trinitrotoluene	500.000	469.108	6.2	99	0.04
10 T	2-Amino-4,6-dinitrotoluene	500.000	473.627	5.3	100	0.05
11 T	4-Amino-2,6-dinitrotoluene	500.000	506.816	-1.4	99	0.05
12 T	2,4-Dinitrotoluene	500.000	492.516	1.5	100	0.05
13 T	2,6-Dinitrotoluene	500.000	481.786	3.6	99	0.06
14 T	2-Nitrotoluene	500.000	511.427	-2.3	104	0.07
15 T	4-Nitrotoluene	500.000	503.557	-0.7	101	0.07
16 T	3-Nitrotoluene	500.000	498.277	0.3	99	0.08
17 T	PETN	500.000	468.574	6.3	92	0.14

Evaluate Continuing Calibration Report - Not Found

Data File : Z:\HPCHEM1\HPLC_N\DATA\HN111113\HN005695.D Vial: 4
 Acq On : 11-Nov-2013, 18:13 Operator: QM
 Sample : HSTDCCC0500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC0500

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN111113.M
 Title :
 Last Update : Mon Nov 11 16:27:41 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------