

Evaluate Continuing Calibration Report

Data File : Z:\HPCHEM1\HPLC_N\DATA\HN111113\HN005702.D Vial: 4
 Acq On : 11-Nov-2013, 21:29 Operator: QM
 Sample : HSTDCCC500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC500

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN111113.M
 Title :
 Last Update : Mon Nov 11 16:27:41 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	500.000	488.312	2.3	102	0.01
2 T	HMX	500.000	493.508	1.3	99	0.00
3 T	RDX	500.000	475.482	4.9	103	0.02
4 T	1,3,5-Trinitrobenzene	500.000	497.109	0.6	101	0.03
5 T	3,5-Dinitroaniline	500.000	480.278	3.9	102	0.05
6 T	1,3-Dinitrobenzene	500.000	465.462	6.9	101	0.06
7 T	Nitrobenzene	500.000	493.358	1.3	103	0.07
8 T	Tetryl	500.000	499.533	0.1	100	0.12
9 T	2,4,6-Trinitrotoluene	500.000	465.255	6.9	99	0.10
10 T	2-Amino-4,6-dinitrotoluene	500.000	458.906	8.2	97	0.12
11 T	4-Amino-2,6-dinitrotoluene	500.000	501.783	-0.4	98	0.13
12 T	2,4-Dinitrotoluene	500.000	512.216	-2.4	104	0.13
13 T	2,6-Dinitrotoluene	500.000	509.848	-2.0	105	0.14
14 T	2-Nitrotoluene	500.000	492.935	1.4	100	0.19
15 T	4-Nitrotoluene	500.000	507.211	-1.4	102	0.22
16 T	3-Nitrotoluene	500.000	501.354	-0.3	100	0.23
17 T	PETN	500.000	483.443	3.3	95	0.35

Evaluate Continuing Calibration Report - Not Found

Data File : Z:\HPCHEM1\HPLC_N\DATA\HN111113\HN005702.D Vial: 4
 Acq On : 11-Nov-2013, 21:29 Operator: QM
 Sample : HSTDCCC500 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : autoint1.e

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC500

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN111113.M
 Title :
 Last Update : Mon Nov 11 16:27:41 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------