

Evaluate Continuing Calibration Report

Data File : Z:\HPCHEM1\HPLC_N\DATA\HN111113\HN005710.D Vial: 10
 Acq On : 11-Nov-2013, 23:20 Operator: QM
 Sample : HSTDCCC050 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : AUTOINT1.E

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC005

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN1108NG.M
 Title :
 Last Update : Tue Nov 12 11:13:07 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	5.000	5.396	-7.9	108	0.00
2 T	Nitroglycerin	5.000	5.028	-0.6	101	0.00

Evaluate Continuing Calibration Report - Not Found

Data File : Z:\HPCHEM1\HPLC_N\DATA\HN111113\HN005710.D Vial: 10
 Acq On : 11-Nov-2013, 23:20 Operator: QM
 Sample : HSTDCCC050 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : AUTOINT1.E

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC005

Method : Z:\HPCHEM1\HPLC_N\METHOD\HN1108NG.M
 Title :
 Last Update : Tue Nov 12 11:13:07 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

Compound	Amount	Calc.	%Dev	Area%	Dev(min)
----------	--------	-------	------	-------	----------