

# Evaluate Continuing Calibration Report

Data File : Z:\HPCHEM1\HPLC\_N\DATA\HN111113\HN005717.D Vial: 10  
 Acq On : 12-Nov-2013, 00:45 Operator: QM  
 Sample : HSTDCCC050 Inst : G1314A  
 Misc : Multiplr: 1.00  
 IntFile : AUTOINT1.E

Instrument :  
 HPLC\_N  
 LabSampleId :  
 HSTDCCC005

Method : Z:\HPCHEM1\HPLC\_N\METHOD\HN1108NG.M  
 Title :  
 Last Update : Tue Nov 12 11:13:07 2013  
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

|     | Compound       | AvgRF | CCRF     | %Dev | Area% | Dev(min) |
|-----|----------------|-------|----------|------|-------|----------|
| 1 S | 4-Nitroaniline | 3.860 | 3.995 E6 | -3.5 | 104   | 0.00     |
| 2 T | Nitroglycerin  | 8.488 | 9.003 E6 | -6.1 | 106   | 0.00     |

Evaluate Continuing Calibration Report - Not Found

Data File : Z:\HPCHEM1\HPLC\_N\DATA\HN111113\HN005717.D Vial: 10  
 Acq On : 12-Nov-2013, 00:45 Operator: QM  
 Sample : HSTDCCC050 Inst : G1314A  
 Misc : Multiplr: 1.00  
 IntFile : AUTOINT1.E

Instrument :  
 HPLC\_N  
 LabSampleId :  
 HSTDCCC005

Method : Z:\HPCHEM1\HPLC\_N\METHOD\HN1108NG.M  
 Title :  
 Last Update : Tue Nov 12 11:13:07 2013  
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 25% Max. Rel. Area : 150%

| Compound | AvgRF | CCRF | %Dev | Area% | Dev(min) |
|----------|-------|------|------|-------|----------|
|----------|-------|------|------|-------|----------|