

Data Path : Z:\HPCHEM1\HPLC_N\Data\HN111416\
Data File : HN007797.D
Signal(s) : vwd1A.ch
Acq On : 14-Nov-2016, 17:23
Operator : UM/MA
Sample : HSTDCCC0500
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
HPLC_N
LabSampleId :
HSTDCCC0500

Integration File: autoint1.e
Quant Time: Nov 15 01:00:07 2016
Quant Method : Z:\HPCHEM1\HPLC_N\Methods\HN111416.M
Quant Title :
QLast Update : Mon Nov 14 15:03:45 2016
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 50 u1
Signal Phase : ZORBAX Extend-C18
Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	500.000	493.654	1.3	100	0.00
2 T	HMX	500.000	505.032	-1.0	104	0.00
3 T	RDX	500.000	474.608	5.1	100	0.00
4 T	1,3,5-Trinitrobenzene	500.000	493.258	1.3	100	0.00
5 T	1,3-Dinitrobenzene	500.000	488.131	2.4	99	0.00
6 T	3,5-Dinitroaniline	500.000	474.602	5.1	96	0.00
7 T	Nitrobenzene	500.000	515.920	-3.2	104	0.00
8 T	Tetryl	500.000	499.014	0.2	101	0.00
9 T	2,4,6-Trinitrotoluene	500.000	500.476	-0.1	102	0.00
10 T	2-Amino-4,6-dinitrotoluene	500.000	499.874	0.0	102	0.00
11 T	4-Amino-2,6-dinitrotoluene	500.000	517.605	-3.5	103	0.00
12 T	2,4-Dinitrotoluene	500.000	495.761	0.8	101	0.00
13 T	2,6-Dinitrotoluene	500.000	505.763	-1.2	101	0.00
14 T	2-Nitrotoluene	500.000	494.056	1.2	102	-0.01
15 T	4-Nitrotoluene	500.000	486.099	2.8	103	0.00
16 T	3-Nitrotoluene	500.000	513.377	-2.7	100	0.03
17 T	PETN	500.000	513.673	-2.7	98	-0.02

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0