

Data Path : Z:\HPCHEM1\HPLC_N\Data\HN111416\
 Data File : HN007802.D
 Signal(s) : vwd1A.ch
 Acq On : 14-Nov-2016, 19:43
 Operator : UM/MA
 Sample : HSTDCCC0500
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 HPLC_N
 LabSampleId :
 HSTDCCC0500

Integration File: autoint1.e
 Quant Time: Nov 15 01:31:38 2016
 Quant Method : Z:\HPCHEM1\HPLC_N\Methods\HN111416.M
 Quant Title :
 QLast Update : Mon Nov 14 15:03:45 2016
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 50 u1
 Signal Phase : ZORBAX Extend-C18
 Signal Info : 4.6 X 100mm 3.5-Micron 80A

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(Min)
1 S	4-Nitroaniline	500.000	495.481	0.9	100	0.00
2 T	HMX	500.000	505.869	-1.2	104	0.00
3 T	RDX	500.000	472.436	5.5	99	0.00
4 T	1,3,5-Trinitrobenzene	500.000	491.312	1.7	100	0.00
5 T	1,3-Dinitrobenzene	500.000	493.135	1.4	100	0.00
6 T	3,5-Dinitroaniline	500.000	492.502	1.5	100	0.00
7 T	Nitrobenzene	500.000	496.923	0.6	100	0.00
8 T	Tetryl	500.000	489.741	2.1	99	0.01
9 T	2,4,6-Trinitrotoluene	500.000	497.268	0.5	101	0.00
10 T	2-Amino-4,6-dinitrotoluene	500.000	495.608	0.9	101	0.00
11 T	4-Amino-2,6-dinitrotoluene	500.000	498.458	0.3	100	0.00
12 T	2,4-Dinitrotoluene	500.000	495.390	0.9	101	0.00
13 T	2,6-Dinitrotoluene	500.000	498.195	0.4	100	0.00
14 T	2-Nitrotoluene	500.000	484.729	3.1	101	0.00
15 T	4-Nitrotoluene	500.000	484.922	3.0	103	0.00
16 T	3-Nitrotoluene	500.000	512.608	-2.5	100	0.04
17 T	PETN	500.000	501.708	-0.3	95	-0.01

Evaluate Continuing Calibration Report - Not Found

(#) = Out of Range

SPCC's out = 0 CCC's out = 0