

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN010220\
 Data File : BN009289.D
 Acq On : 02 Jan 2020 11:21
 Operator : JU
 Sample : K6466-02MS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 H0BP0MS

Manual Integrations
 APPROVED

mohammad
 1/2/2020 6:56:20 PM

Quant Time: Jan 02 12:48:51 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\SOM-EPA-SIM-BN121619.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jan 02 12:44:14 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.50	152	2440	0.40	ng/ul	0.00
2) Naphthalene-d8	10.26	136	8378	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.13	164	4445	0.40	ng/ul	0.00
10) Phenanthrene-d10	16.88	188	8536m	0.40	ng/ul	0.00
16) Chrysene-d12	21.08	240	6476	0.40	ng/ul	0.00
20) Perylene-d12	23.21	264	6803	0.40	ng/ul	0.00
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	11.85	152	3130	0.21	ng/ul	0.00
14) Fluoranthene-d10	18.92	212	6660	0.26	ng/ul	0.00
Target Compounds				Ovalue		
8) Acenaphthene	14.19	153	389705	21.268	ng/ul	98
11) Pentachlorophenol	16.54	266	102270	44.946	ng/ul	99
17) Pyrene	19.31	202	844002	25.546	ng/ul	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN010220\
Data File : BN009289.D
Acq On : 02 Jan 2020 11:21
Operator : JU
Sample : K6466-02MS
Misc :
ALS Vial : 4 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampleId :
H0BP0MS

Manual Integrations
APPROVED

mohammad
1/2/2020 6:56:20 PM

Quant Time: Jan 02 12:48:51 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\SOM-EPA-SIM-BN121619.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jan 02 12:44:14 2020
Response via : Initial Calibration





#8

Acenaphthene

Concen: 21.268 ng/ul

RT: 14.19 min Scan# 3040

Delta R.T. 0.00 min

Lab File: BN009289.D

Acq: 02 Jan 2020 11:21

Instrument :

BNA_N





ClientSampleId :

H0BP0MS

Tot Ion:	153	Resp:	389705
Ion Ratio	Lower	Upper	
153	100		
152	47.3	39.5	59.3
154	90.1	71.3	106.9

Manual Integrations
APPROVED

mohammad
1/2/2020 6:56:20 PM



#11

Pentachlorophenol

Concen: 44.946 ng/ul




RT: 16.54 min Scan# 3558


Delta R.T. -0.01 min

Lab File: BN009289.D

Acq: 02 Jan 2020 11:21

Tgt Ion:	266	Resp:	102270
Ion Ratio	Lower	Upper	
266	100		
264	62.7	49.9	74.9
268	63.7	52.1	78.1





#17
 Pvrene
 Concen: 25.546 ng/ul
 RT: 19.31 min Scan# 4197
 Delta R.T. 0.00 min
 Lab File: BN009289.D
 Acq: 02 Jan 2020 11:21

Instrument :
 BNA_N
 ClientSampleId :
 H0BP0MS

Tot Ion	Ratio	Resp Lower	Resp Upper
202	100		
101	13.4	10.9	16.3
100	10.8	9.0	13.6

Manual Integrations
 APPROVED

mohammad
 1/2/2020 6:56:20 PM

