

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN012725\
 Data File : BN036048.D
 Acq On : 27 Jan 2025 22:01
 Operator : RC/JU
 Sample : Q1174-23
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 E2954

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 01/28/2025
 Supervised By :mohammad ahmed 01/31/2025

Quant Time: Jan 28 00:09:21 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-SIM-BN012125.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jan 21 23:52:22 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.812	152	2617	0.400	ng/ul	0.00
4) Naphthalene-d8	10.605	136	5915	0.400	ng/ul	# 0.00
9) Acenaphthene-d10	14.450	164	4821m	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.191	188	8346m	0.400	ng/ul	0.00
17) Chrysene-d12	21.375	240	9560	0.400	ng/ul	# 0.00
23) Perylene-d12	23.678	264	6826m	0.400	ng/ul	0.01
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.276	96	12219	4.264	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.194	152	3253	0.436	ng/ul	0.00
18) Fluoranthene-d10	19.220	212	7773	0.296	ng/ul	0.00
Target Compounds						
					Qvalue	
2) 1,4-Dioxane	3.314	88	1315	0.430	ng/ul#	67
5) Naphthalene	10.655	128	58499	3.590	ng/ul	98
7) 2-Methylnaphthalene	12.271	142	26456	2.614	ng/ul	99
8) 1-Methylnaphthalene	12.491	142	40408	3.933	ng/ul	99
10) Acenaphthylene	14.168	152	3196	0.141	ng/ul#	73
11) Acenaphthene	14.510	153	7929	0.474	ng/ul	97
12) Fluorene	15.495	166	7529	0.408	ng/ul#	95
14) Pentachlorophenol	16.841	266	332	0.114	ng/ul	96
15) Phenanthrene	17.233	178	6440	0.264	ng/ul#	56
16) Anthracene	17.322	178	5426	0.239	ng/ul#	30
19) Fluoranthene	19.252	202	5413	0.149	ng/ul#	65
20) Pyrene	19.615	202	3227m	0.085	ng/ul	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN012725\
Data File : BN036048.D
Acq On : 27 Jan 2025 22:01
Operator : RC/JU
Sample : Q1174-23
Misc :
ALS Vial : 20 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampleId :
E2954

Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 01/28/2025
Supervised By :mohammad ahmed 01/31/2025


Quant Time: Jan 28 00:09:21 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-SIM-BN012125.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jan 21 23:52:22 2025
Response via : Initial Calibration





#2
1,4-Dioxane
Concen: 0.430 ng/ul
RT: 3.314 min Scan# 31
Delta R.T. -0.000 min
Lab File: BN036048.D
Acq: 27 Jan 2025 22:01




Instrument :
BNA_N
ClientSampleId :
E2954




Tgt Ion: 88 Resp: 131
Ion Ratio Lower Upper
88 100
43 100.7 40.7 61.1
58 73.1 55.2 82.8

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 01/28/2025
Supervised By :mohammad ahmed 01/31/2025




#5
Naphthalene
Concen: 3.590 ng/ul
RT: 10.655 min Scan# 1738
Delta R.T. -0.000 min
Lab File: BN036048.D
Acq: 27 Jan 2025 22:01




Tgt Ion:128 Resp: 58499
Ion Ratio Lower Upper
128 100
129 11.0 9.6 14.4
127 14.0 12.0 18.0





#7
2-Methylnaphthalene
Concen: 2.614 ng/ul
RT: 12.271 min Scan# 2032
Delta R.T. -0.000 min
Lab File: BN036048.D
Acq: 27 Jan 2025 22:01




Instrument :
BNA_N
ClientSampleId :
E2954




Tgt Ion:142 Resp: 26450
Ion Ratio Lower Upper
142 100
141 91.0 71.9 107.9

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 01/28/2025
Supervised By :mohammad ahmed 01/31/2025




#8
1-Methylnaphthalene
Concen: 3.933 ng/ul
RT: 12.491 min Scan# 2072
Delta R.T. -0.000 min
Lab File: BN036048.D
Acq: 27 Jan 2025 22:01




Tgt Ion:142 Resp: 40408
Ion Ratio Lower Upper
142 100
141 93.3 75.2 112.8





#10
Acenaphthylene
Concen: 0.141 ng/ul
RT: 14.168 min Scan# 2403
Delta R.T. -0.000 min
Lab File: BN036048.D
Acq: 27 Jan 2025 22:01




Instrument :
BNA_N
ClientSampleId :
E2954



Tgt Ion:152 Resp: 3190
Ion Ratio Lower Upper
152 100
151 30.7 17.4 26.2
153 31.6 11.9 17.9




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 01/28/2025
Supervised By :mohammad ahmed 01/31/2025



#11
Acenaphthene
Concen: 0.474 ng/ul
RT: 14.510 min Scan# 2477
Delta R.T. -0.005 min
Lab File: BN036048.D
Acq: 27 Jan 2025 22:01


Tgt Ion:153 Resp: 7929
Ion Ratio Lower Upper
153 100
152 50.3 43.2 64.8
154 85.9 70.5 105.7





#12
Fluorene
Concen: 0.408 ng/ul
RT: 15.495 min Scan# 2690
Delta R.T. -0.005 min
Lab File: BN036048.D
Acq: 27 Jan 2025 22:01




Instrument :
BNA_N
ClientSampleId :
E2954




Tgt Ion:166 Resp: 7529
Ion Ratio Lower Upper
166 100
165 102.7 80.3 120.5
167 25.5 12.3 18.5

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 01/28/2025
Supervised By :mohammad ahmed 01/31/2025




#14
Pentachlorophenol
Concen: 0.114 ng/ul
RT: 16.841 min Scan# 2994
Delta R.T. -0.000 min
Lab File: BN036048.D
Acq: 27 Jan 2025 22:01




Tgt Ion:266 Resp: 332
Ion Ratio Lower Upper
266 100
264 59.0 50.6 75.8
268 61.1 50.6 75.8





#15
Phenanthrene
Concen: 0.264 ng/ul
RT: 17.233 min Scan# 3087
Delta R.T. -0.000 min
Lab File: BN036048.D
Acq: 27 Jan 2025 22:01




Instrument :
BNA_N
ClientSampleId :
E2954



Tgt Ion:178 Resp: 6440
Ion Ratio Lower Upper
178 100
179 44.7 13.2 19.8#
176 33.4 16.8 25.2#




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 01/28/2025
Supervised By :mohammad ahmed 01/31/2025



#16
Anthracene
Concen: 0.239 ng/ul
RT: 17.322 min Scan# 3108
Delta R.T. -0.000 min
Lab File: BN036048.D
Acq: 27 Jan 2025 22:01


Tgt Ion:178 Resp: 5426
Ion Ratio Lower Upper
178 100
179 57.3 13.0 19.4#
176 41.9 15.9 23.9#





#19
Fluoranthene
Concen: 0.149 ng/ul
RT: 19.252 min Scan# 3549
Delta R.T. 0.005 min
Lab File: BN036048.D
Acq: 27 Jan 2025 22:01




Instrument :
BNA_N
ClientSampleId :
E2954



Tgt Ion:202 Resp: 5411
Ion Ratio Lower Upper
202 100
101 26.7 8.4 12.6
100 16.3 6.5 9.7

Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 01/28/2025
Supervised By :mohammad ahmed 01/31/2025



#20
Pyrene
Concen: 0.085 ng/ul m
RT: 19.615 min Scan# 3627
Delta R.T. 0.005 min
Lab File: BN036048.D
Acq: 27 Jan 2025 22:01

Tgt Ion:202 Resp: 3227
Ion Ratio Lower Upper
202 100
101 30.9 9.3 13.9#
100 19.3 7.5 11.3#

