

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN020620\
 Data File : BN009624.D
 Acq On : 06 Feb 2020 23:59
 Operator : CG/JU
 Sample : L1324-07
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: Feb 07 02:08:11 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN020320MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Feb 03 16:39:56 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.43	152	150158	20.00	ng/ul	-0.01
18) Naphthalene-d8	10.18	136	628643	20.00	ng/ul	-0.01
35) Acenaphthene-d10	14.07	164	388933	20.00	ng/ul	-0.01
61) Phenanthrene-d10	16.83	188	808128	20.00	ng/ul	0.00
77) Chrysene-d12	21.04	240	725351	20.00	ng/ul	0.00
85) Perylene-d12	23.15	264	812308	20.00	ng/ul	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.08	96	11363	3.10	ng/uL	0.00
5) Phenol-d5	6.63	99	234695	17.92	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.79	67	159378	18.12	ng/ul	0.00
9) 2-Chlorophenol-d4	6.98	132	181468	18.83	ng/ul	-0.01
13) 4-Methylphenol-d8	8.15	113	159002	15.25	ng/ul	-0.01
19) Nitrobenzene-d5	8.58	128	87242	18.66	ng/ul	-0.01
22) 2-Nitrophenol-d4	9.29	143	94840	18.18	ng/ul	-0.01
26) 2,4-Dichlorophenol-d3	9.82	165	176859	18.09	ng/ul	0.00
29) 4-Chloroaniline-d4	10.33	131	224585	21.37	ng/ul	0.00
43) Dimethylphthalate-d6	13.49	166	534079	18.81	ng/ul	-0.01
46) Acenaphthylene-d8	13.76	160	654694	19.08	ng/ul	-0.01
51) 4-Nitrophenol-d4	14.31	143	80795	15.07	ng/ul	0.00
57) Fluorene-d10	15.07	176	477344	19.12	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.22	200	65964	13.07	ng/ul	0.00
70) Anthracene-d10	16.92	188	708028	19.28	ng/ul	-0.01
78) Pyrene-d10	19.23	212	810687	21.26	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.02	264	817679	20.44	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
44) Dimethylphthalate	13.55	163	64935	2.155	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN020620\
Data File : BN009624.D
Acq On : 06 Feb 2020 23:59
Operator : CG/JU
Sample : L1324-07
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :

Quant Time: Feb 07 02:08:11 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN020320MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Feb 03 16:39:56 2020
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 2.155 ng/ul

RT: 13.55 min Scan# 1795

Delta R.T. -0.01 min

Lab File: BN009624.D

Acq: 06 Feb 2020 23:59

Instrument :

BNA_N

ClientSampleId :


Tot Ion:163 Resp: 64935

Ion Ratio Lower Upper

163 100

194 4.9 3.5 5.3

164 9.8 8.0 12.0



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

