

Quantitation Report (Qedit)


Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN020620\
Data File : BN009660.D
Acq On : 07 Feb 2020 23:25
Operator : CG/JU
Sample : L1401-05
Misc :
ALS Vial : 55 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
CB6J8

Manual Integrations
APPROVED

mohammad
2/11/2020 8:24:03 AM

Quant Time: Feb 08 01:29:34 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN020320MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Feb 07 23:20:27 2020
Response via : Initial Calibration



(88) Benzo(k)fluoranthene

22.533min (-0.053) 4.67ng/ul

response 227409

Ion	Exp%	Act%
252.00	100	100
253.00	21.20	21.60
125.00	10.00	10.95
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN020620\
 Data File : BN009660.D
 Acq On : 07 Feb 2020 23:25
 Operator : CG/JU
 Sample : L1401-05
 Misc :
 ALS Vial : 55 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 CB6J8

Manual Integrations
 APPROVED

mohammad
 2/11/2020 8:24:03 AM

Quant Time: Feb 08 01:29:34 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN020320MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Feb 07 23:20:27 2020
 Response via : Initial Calibration



TIC: BN009660.D

(88) Benzo(k)fluoranthene

22.563min (-0.024) 1.59ng/ul m JU 02/13/20

response 77236

Ion	Exp%	Act%
252.00	100	100
253.00	21.20	25.16
125.00	10.00	14.41#
0.00	0.00	0.00

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN020620\
 Data File : BN009660.D
 Acq On : 07 Feb 2020 23:25
 Operator : CG/JU
 Sample : L1401-05
 Misc :
 ALS Vial : 55 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 CB6J8

Manual Integrations
 APPROVED

mohammad
 2/11/2020 8:24:03 AM

Quant Time: Feb 08 01:54:04 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN020320MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Feb 07 23:20:27 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.43	152	158114	20.00	ng/ul	0.00
18) Naphthalene-d8	10.18	136	667861	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.07	164	403487	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.82	188	850141	20.00	ng/ul	0.00
77) Chrysene-d12	21.04	240	793952	20.00	ng/ul	0.00
85) Perylene-d12	23.15	264	790055	20.00	ng/ul	-0.01

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.08	96	6993	1.81	ng/uL	0.00
5) Phenol-d5	6.63	99	137169	9.95	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.79	67	100103	10.81	ng/ul	0.00
9) 2-Chlorophenol-d4	6.98	132	110236	10.86	ng/ul	0.00
13) 4-Methylphenol-d8	8.15	113	97010	8.83	ng/ul	0.00
19) Nitrobenzene-d5	8.58	128	54492	10.97	ng/ul	0.00
22) 2-Nitrophenol-d4	9.29	143	56928	10.27	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.82	165	99755	9.61	ng/ul	0.00
29) 4-Chloroaniline-d4	10.33	131	136748	12.25	ng/ul	0.00
43) Dimethylphthalate-d6	13.49	166	332886	11.30	ng/ul	0.00
46) Acenaphthylene-d8	13.76	160	397656	11.17	ng/ul	0.00
51) 4-Nitrophenol-d4	14.32	143	38721	6.96	ng/ul	0.00
57) Fluorene-d10	15.07	176	290844	11.23	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.23	200	37334	7.03	ng/ul	0.00
70) Anthracene-d10	16.92	188	443065	11.47	ng/ul	0.00
78) Pyrene-d10	19.23	212	513878	12.31	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.02	264	506131	13.01	ng/ul	-0.01

Target Compounds

					Ovalue
69) Phenanthrene	16.86	178	187804	3.874 ng/ul	99
76) Fluoranthene	18.89	202	372022	6.723 ng/ul	97
79) Pyrene	19.26	202	339451	5.857 ng/ul	98
82) Benzo(a)anthracene	21.02	228	193747	3.534 ng/ul	98
84) Chrysene	21.07	228	177393	3.251 ng/ul	98
87) Benzo(b)fluoranthene	22.53	252	227409	4.601 ng/ul	99
88) Benzo(k)fluoranthene	22.56	252	77236m>	1.587 ng/ul>	94
90) Benzo(a)pyrene	23.06	252	149937	3.274 ng/ul#	94
91) Indeno(1,2,3-cd)pyrene	25.20	276	93704	1.721 ng/ul	95
93) Benzo(g,h,i)perylene	25.83	276	88431	1.938 ng/ul#	93

Jul 1/3/20

(#) = qualifier out of range (m) = manual integration (+) = signals summed