

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN022220\
 Data File : BN009841.D
 Acq On : 22 Feb 2020 11:48
 Operator : CG/JU
 Sample : L1516-05
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 DBD23

Manual Integrations
 APPROVED

mohammad
 2/24/2020 4:49:08 PM

Quant Time: Feb 24 01:29:29 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN021220MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Feb 19 04:46:48 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.39	152	95469	20.00	ng/ul	-0.02
18) Naphthalene-d8	10.14	136	390767	20.00	ng/ul	-0.02
36) Acenaphthene-d10	14.03	164	249597	20.00	ng/ul	-0.02
62) Phenanthrene-d10	16.79	188	528619	20.00	ng/ul	-0.02
78) Chrysene-d12	21.00	240	508942	20.00	ng/ul	-0.02
86) Perylene-d12	23.10	264	543407	20.00	ng/ul	-0.03

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.04	96	1888m	0.81	ng/uL	-0.01
5) Phenol-d5	6.60	99	24551	3.02	ng/ul	-0.01
7) Bis-(2-Chloroethyl)ether-d	6.75	67	19483	3.48	ng/ul	-0.02
9) 2-Chlorophenol-d4	6.94	132	22199	3.63	ng/ul	-0.02
13) 4-Methylphenol-d8	8.12	113	16631	2.57	ng/ul	0.00
19) Nitrobenzene-d5	8.55	128	9069	3.17	ng/ul	-0.01
22) 2-Nitrophenol-d4	9.26	143	8949	2.86	ng/ul	-0.01
26) 2,4-Dichlorophenol-d3	9.80	165	18335m	3.05	ng/ul	0.00
29) 4-Chloroaniline-d4	10.33	131	25961m	3.84	ng/ul	0.01
44) Dimethylphthalate-d6	13.46	166	74289	3.98	ng/ul	-0.01
47) Acenaphthylene-d8	13.72	160	78875	3.59	ng/ul	-0.02
52) 4-Nitrophenol-d4	14.37	143	2910m	0.85	ng/ul	0.08
58) Fluorene-d10	15.04	176	66243	4.12	ng/ul	-0.02
63) 4,6-Dinitro-2-methylphenol	15.20	200	3526m	1.07	ng/ul	0.00
71) Anthracene-d10	16.89	188	96940	4.00	ng/ul	-0.02
79) Pyrene-d10	19.20	212	114120	4.29	ng/ul	-0.02
90) Benzo(a)pyrene-d12	22.97	264	116516	4.29	ng/ul	-0.03

Target Compounds	Ovalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN022220\
Data File : BN009841.D
Acq On : 22 Feb 2020 11:48
Operator : CG/JU
Sample : L1516-05
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
DBD23

Manual Integrations
APPROVED

mohammad
2/24/2020 4:49:08 PM

Quant Time: Feb 24 01:29:29 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN021220MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Feb 19 04:46:48 2020
Response via : Initial Calibration

