

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN022220\
 Data File : BN009851.D
 Acq On : 22 Feb 2020 18:21
 Operator : CG/JU
 Sample : L1516-13
 Misc :
 ALS Vial : 40 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 DBD31

Quant Time: Feb 24 00:24:16 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN021220MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Feb 19 04:46:48 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.39	152	118178	20.00	ng/ul	-0.02
18) Naphthalene-d8	10.13	136	479525	20.00	ng/ul	-0.03
36) Acenaphthene-d10	14.03	164	302329	20.00	ng/ul	-0.02
62) Phenanthrene-d10	16.79	188	645880	20.00	ng/ul	-0.02
78) Chrysene-d12	21.00	240	571534	20.00	ng/ul	-0.02
86) Perylene-d12	23.10	264	625111	20.00	ng/ul	-0.03

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.03	96	15190	5.29	ng/uL	-0.02
5) Phenol-d5	6.59	99	301812	30.02	ng/ul	-0.02
7) Bis-(2-Chloroethyl)ether-d	6.75	67	214125	30.87	ng/ul	-0.02
9) 2-Chlorophenol-d4	6.93	132	240433	31.77	ng/ul	-0.03
13) 4-Methylphenol-d8	8.10	113	243912	30.50	ng/ul	-0.02
19) Nitrobenzene-d5	8.53	128	112195	31.98	ng/ul	-0.02
22) 2-Nitrophenol-d4	9.25	143	126731	33.02	ng/ul	-0.02
26) 2,4-Dichlorophenol-d3	9.78	165	221280	29.99	ng/ul	-0.02
29) 4-Chloroaniline-d4	10.29	131	288238	34.77	ng/ul	-0.03
44) Dimethylphthalate-d6	13.46	166	706568	31.29	ng/ul	-0.02
47) Acenaphthylene-d8	13.72	160	852386	32.05	ng/ul	-0.02
52) 4-Nitrophenol-d4	14.27	143	95057	23.05	ng/ul	-0.02
58) Fluorene-d10	15.03	176	618617	31.73	ng/ul	-0.02
63) 4,6-Dinitro-2-methylphenol	15.19	200	92345	23.02	ng/ul	-0.02
71) Anthracene-d10	16.89	188	930448	31.43	ng/ul	-0.02
79) Pyrene-d10	19.19	212	1026174	34.35	ng/ul	-0.02
90) Benzo(a)pyrene-d12	22.97	264	1039805	33.31	ng/ul	-0.03


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
45) Dimethylphthalate	13.50	163	65536	2.781	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN022220\
Data File : BN009851.D
Acq On : 22 Feb 2020 18:21
Operator : CG/JU
Sample : L1516-13
Misc :
ALS Vial : 40 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
DBD31

Quant Time: Feb 24 00:24:16 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN021220MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Feb 19 04:46:48 2020
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 2.781 ng/ul

RT: 13.50 min Scan# 1788

Delta R.T. -0.02 min

Lab File: BN009851.D

Acq: 22 Feb 2020 18:21

Instrument :

BNA_N

ClientSampleId :

DBD31

Tot Ion:163 Resp: 65536

Ion Ratio Lower Upper

163 100

194 3.9 3.4 5.0

164 9.8 8.0 12.0

