

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN022220\
 Data File : BN009858.D
 Acq On : 22 Feb 2020 22:32
 Operator : CG/JU
 Sample : L1516-20
 Misc :
 ALS Vial : 47 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 DBD78

Quant Time: Feb 24 03:11:49 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN021220MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Feb 19 04:46:48 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.39	152	117542	20.00	ng/ul	-0.02
18) Naphthalene-d8	10.13	136	495005	20.00	ng/ul	-0.03
36) Acenaphthene-d10	14.03	164	316649	20.00	ng/ul	-0.02
62) Phenanthrene-d10	16.79	188	658228	20.00	ng/ul	-0.02
78) Chrysene-d12	21.00	240	599794	20.00	ng/ul	-0.02
86) Perylene-d12	23.10	264	637617	20.00	ng/ul	-0.03

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.03	96	16297	5.70	ng/uL	-0.02
5) Phenol-d5	6.59	99	290471	29.05	ng/ul	-0.02
7) Bis-(2-Chloroethyl)ether-d	6.75	67	211186	30.61	ng/ul	-0.02
9) 2-Chlorophenol-d4	6.93	132	229698	30.52	ng/ul	-0.03
13) 4-Methylphenol-d8	8.10	113	236090	29.68	ng/ul	-0.02
19) Nitrobenzene-d5	8.53	128	113730	31.40	ng/ul	-0.02
22) 2-Nitrophenol-d4	9.25	143	128710	32.49	ng/ul	-0.02
26) 2,4-Dichlorophenol-d3	9.78	165	222295	29.19	ng/ul	-0.02
29) 4-Chloroaniline-d4	10.29	131	300788	35.15	ng/ul	-0.02
44) Dimethylphthalate-d6	13.46	166	706475	29.87	ng/ul	-0.02
47) Acenaphthylene-d8	13.72	160	840619	30.18	ng/ul	-0.02
52) 4-Nitrophenol-d4	14.27	143	90489	20.95	ng/ul	-0.02
58) Fluorene-d10	15.03	176	623808	30.55	ng/ul	-0.02
63) 4,6-Dinitro-2-methylphenol	15.19	200	99065	24.23	ng/ul	-0.02
71) Anthracene-d10	16.89	188	921440	30.54	ng/ul	-0.02
79) Pyrene-d10	19.19	212	1018397	32.49	ng/ul	-0.02
90) Benzo(a)pyrene-d12	22.97	264	998847	31.37	ng/ul	-0.03


Target Compounds					Ovalue	
6) Phenol	6.62	94	11882	1.109	ng/ul#	62
45) Dimethylphthalate	13.50	163	110396	4.473	ng/ul	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN022220\
Data File : BN009858.D
Acq On : 22 Feb 2020 22:32
Operator : CG/JU
Sample : L1516-20
Misc :
ALS Vial : 47 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
DBD78

Quant Time: Feb 24 03:11:49 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN021220MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Feb 19 04:46:48 2020
Response via : Initial Calibration






#6

Phenol




Concen: 1.109 ng/ul
 RT: 6.62 min Scan# 617
 Delta R.T. -0.02 min
 Lab File: BN009858.D
 Acq: 22 Feb 2020 22:32

Instrument :
 BNA_N
 ClientSampleId :
 DBD78

Tot Ion: 94 Resp: 11882
 Ion Ratio Lower Upper
 94 100
 65 47.5 27.6 41.4#
 66 81.0 38.5 57.7#



Abundance Ion 94.00 (93.70 to 94.70): BN0
 Ion 65.00 (64.70 to 65.70): BN0
 Ion 66.00 (65.70 to 66.70): BN0




#45

Dimethylphthalate

Concen: 4.473 ng/ul
 RT: 13.50 min Scan# 1788
 Delta R.T. -0.02 min
 Lab File: BN009858.D
 Acq: 22 Feb 2020 22:32

Tgt Ion:163 Resp: 110396
 Ion Ratio Lower Upper
 163 100
 194 3.9 3.4 5.0
 164 8.5 8.0 12.0



Abundance Ion 163.00 (162.70 to 163.70): E
 Ion 194.00 (193.70 to 194.70): E
 Ion 164.00 (163.70 to 164.70): E

