

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN022424\
 Data File : BN030019.D
 Acq On : 25 Feb 2024 08:19
 Operator : MA/JU
 Sample : P1532-08
 Misc :
 ALS Vial : 69 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RW11-MW01S-20240219

Quant Time: Feb 26 02:49:10 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN012924.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Feb 26 02:39:45 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.854	152	4115	0.400	ng	0.00
7) Naphthalene-d8	10.648	136	10338	0.400	ng	# 0.00
13) Acenaphthene-d10	14.500	164	4767	0.400	ng	0.01
19) Phenanthrene-d10	17.255	188	9219	0.400	ng	0.00
29) Chrysene-d12	21.456	240	7532	0.400	ng	0.00
35) Perylene-d12	23.826	264	7113	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.435	112	121	0.012	ng	0.00
5) Phenol-d6	7.031	99	57	0.005	ng	0.00
8) Nitrobenzene-d5	9.025	82	2671	0.310	ng	0.01
11) 2-Methylnaphthalene-d10	12.250	152	4628	0.329	ng	0.00
14) 2,4,6-Tribromophenol	16.014	330	117	0.076	ng	0.01
15) 2-Fluorobiphenyl	13.132	172	6904	0.337	ng	0.01
27) Fluoranthene-d10	19.290	212	10515	0.471	ng	0.00
31) Terphenyl-d14	19.893	244	9858	0.527	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.355	88	627	0.108	ng	# 1
3) n-Nitrosodimethylamine	3.658	42	146	0.031	ng	# 1
34) Bis(2-ethylhexyl)phtha...	21.385	149	557	0.032	ng	# 89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN022424\
Data File : BN030019.D
Acq On : 25 Feb 2024 08:19
Operator : MA/JU
Sample : P1532-08
Misc :
ALS Vial : 69 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RW11-MW01S-20240219


Quant Time: Feb 26 02:49:10 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN012924.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Feb 26 02:39:45 2024
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.854 min Scan# 6
 Delta R.T. 0.000 min
 Lab File: BN030019.D
 Acq: 25 Feb 2024 08:19

Instrument :
 BNA_N
 ClientSampleId :
 RW11-MW01S-20240219







Tgt Ion:152 Resp: 4115
 Ion Ratio Lower Upper
 152 100
 150 157.7 123.0 184.4
 115 68.4 51.4 77.0



#2
 1,4-Dioxane
 Concen: 0.108 ng
 RT: 3.355 min Scan# 38
 Delta R.T. 0.000 min
 Lab File: BN030019.D
 Acq: 25 Feb 2024 08:19

Tgt Ion: 88 Resp: 627
 Ion Ratio Lower Upper
 88 100
 43 186.1 23.3 34.9#
 58 84.7 53.8 80.6#









#3
n-Nitrosodimethylamine
Concen: 0.031 ng
RT: 3.658 min Scan# 80
Delta R.T. -0.029 min
Lab File: BN030019.D
Acq: 25 Feb 2024 08:19




Instrument :
BNA_N
ClientSampleId :
RW11-MW01S-20240219


Tgt Ion: 42 Resp: 146
Ion Ratio Lower Upper
42 100
74 0.0 93.7 140.5#
44 131.5 13.0 19.4#



#4
2-Fluorophenol
Concen: 0.012 ng
RT: 5.435 min Scan# 326
Delta R.T. 0.007 min
Lab File: BN030019.D
Acq: 25 Feb 2024 08:19


Tgt Ion: 112 Resp: 121
Ion Ratio Lower Upper
112 100
64 42.1 47.2 70.8#
63 40.5 25.8 38.6#








#5
Phenol-d6
Concen: 0.005 ng
RT: 7.031 min Scan# 54
Delta R.T. 0.007 min
Lab File: BN030019.D
Acq: 25 Feb 2024 08:19


Instrument :
BNA_N
ClientSampleId :
RW11-MW01S-20240219





Tgt Ion: 99 Resp: 57
Ion Ratio Lower Upper
99 100
42 36.8 16.9 25.3#
71 0.0 30.0 45.0#




#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.648 min Scan# 943
Delta R.T. 0.000 min
Lab File: BN030019.D
Acq: 25 Feb 2024 08:19



Tgt Ion: 136 Resp: 10338
Ion Ratio Lower Upper
136 100
137 11.9 9.7 14.5
54 11.6 6.6 10.0#
68 9.3 5.7 8.5#









#8
Nitrobenzene-d5
Concen: 0.310 ng
RT: 9.025 min Scan# 795
Delta R.T. 0.011 min
Lab File: BN030019.D
Acq: 25 Feb 2024 08:19




Instrument :
BNA_N
ClientSampleId :
RW11-MW01S-20240219


Tgt Ion:	82	Resp:	2671
Ion	Ratio	Lower	Upper
82	100		
128	38.5	31.6	47.4
54	53.0	38.2	57.4



#11
2-Methylnaphthalene-d10
Concen: 0.329 ng
RT: 12.250 min Scan# 1219
Delta R.T. 0.004 min
Lab File: BN030019.D
Acq: 25 Feb 2024 08:19

Tgt Ion:	152	Resp:	4628
Ion	Ratio	Lower	Upper
152	100		
151	20.8	17.1	25.7





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.500 min Scan# 1

Delta R.T. 0.011 min

Lab File: BN030019.D

Acq: 25 Feb 2024 08:19

Instrument :

BNA_N

ClientSampleId :

RW11-MW01S-20240219





Tgt Ion:164 Resp: 4767

Ion Ratio Lower Upper

164 100

162 107.7 82.6 123.8

160 53.8 41.5 62.3



#14

2,4,6-Tribromophenol

Concen: 0.076 ng

RT: 16.014 min Scan# 1677

Delta R.T. 0.013 min

Lab File: BN030019.D

Acq: 25 Feb 2024 08:19




Tgt Ion:330 Resp: 117


Ion Ratio Lower Upper

330 100

332 104.3 76.0 114.0

141 51.3 43.4 65.2









#15
2-Fluorobiphenyl
Concen: 0.337 ng
RT: 13.132 min Scan# 1418
Delta R.T. 0.011 min
Lab File: BN030019.D
Acq: 25 Feb 2024 08:19




Instrument :
BNA_N
ClientSampleId :
RW11-MW01S-20240219


Tgt Ion:172 Resp: 6904
Ion Ratio Lower Upper
172 100
171 35.9 28.0 42.0
170 24.3 18.7 28.1



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.255 min Scan# 1777
Delta R.T. 0.000 min
Lab File: BN030019.D
Acq: 25 Feb 2024 08:19

Tgt Ion:188 Resp: 9219
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 14.4 10.0 15.0





#27

Fluoranthene-d10

Concen: 0.471 ng

RT: 19.290 min Scan# 2055

Delta R.T. 0.000 min

Lab File: BN030019.D

Acq: 25 Feb 2024 08:19

Instrument :

BNA_N

ClientSampleId :

RW11-MW01S-20240219





Tgt Ion:212 Resp: 10515

Ion Ratio Lower Upper

212 100

106 14.8 13.2 19.8

104 9.0 7.7 11.5



#29

Chrysene-d12

Concen: 0.400 ng

RT: 21.456 min Scan# 2466

Delta R.T. 0.000 min

Lab File: BN030019.D

Acq: 25 Feb 2024 08:19




Tgt Ion:240 Resp: 7532


Ion Ratio Lower Upper

240 100

120 19.8 16.7 25.1

236 29.0 23.9 35.9









#31
 Terphenyl-d14
 Concen: 0.527 ng
 RT: 19.893 min Scan# 2185
 Delta R.T. -0.005 min
 Lab File: BN030019.D
 Acq: 25 Feb 2024 08:19




Instrument :
 BNA_N
 ClientSampleId :
 RW11-MW01S-20240219


Tgt Ion:244 Resp: 9858
 Ion Ratio Lower Upper
 244 100
 212 9.6 8.2 12.4
 122 17.3 15.6 23.4



#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.032 ng
 RT: 21.385 min Scan# 2458
 Delta R.T. 0.000 min
 Lab File: BN030019.D
 Acq: 25 Feb 2024 08:19

Tgt Ion:149 Resp: 557
 Ion Ratio Lower Upper
 149 100
 167 19.0 20.1 30.1#
 279 3.2 2.5 3.7





#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.826 min Scan# 30
 Delta R.T. 0.006 min
 Lab File: BN030019.D
 Acq: 25 Feb 2024 08:19

Instrument :
 BNA_N
 ClientSampleId :
 RW11-MW01S-20240219

Tgt Ion:	264	Resp:	7113
Ion	Ratio	Lower	Upper
264	100		
260	26.1	21.2	31.8
265	79.4	41.5	62.3

